

KARIMGANJ BIOFUELS PRIVATE LIMITED

Compliance Report of Environmental Clearance Conditions **for the period 01.10.2025 to 31.03.2025**

S. No.	EC Conditions	Compliance Status
A. Specific Condition:		
(i).	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures	Being Complied with.
(ii).	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.	Being Complied with.
(iii).	Total fresh water requirement shall not exceed 800 KLPD which will be sourced from adjacent Sugar Mill of Rana Sugars Limited (Sugar Division). Prior permission shall be obtained from the concerned regulatory authority in this regard, and renewed from time to time.	Permission has been obtained from concerned regulatory authority.
(iv).	Effluent will be treated through state of art CPU/Effluent Treatment Plant (Membrane based Process Plant). No bio composting will be done in the plant.	Being Complied with.
(v).	CO2 generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.	Noted.
(vi).	Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Occupational health surveillance is being conducted on annual basis for all the employees. Medical Report of employees is enclosed as Annexure-1. All workers & employees are provided with required safety kits/mask for personal protection.
(vii).	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Being Complied with.
(viii).	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the	Complied with. Industry has obtained NOC from Fire Department, Uttar Pradesh, copy enclosed as Annexure-2.
(ix).	Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Being Complied with.


 01/10/2025

S. No.	EC Conditions	Compliance Status
(x).	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to	Complied with
(xi).	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Complied with
(xii).	PP shall allocate Rs. 1.0 crore towards CER and it shall be spent for providing pure drinking water facilities and for providing solar energy to nearby villages.	Noted.
(xiii).	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, as per CPCB norms and no parking to be allowed outside on public places.	Complied with.
(xiv).	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Complied with.
(xv).	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Complied with for effluents. Not applicable for stack emissions as industry has not installed any boiler.
(xvi).	A separate Environmental Management Cell (having qualified person with Environmental Science/ Environmental Engineering/ Specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and	Complied with. Copy of Environment Management Cell constituted enclosed as Annexure-3.


B. General Condition:

For Keringan Engineering Ltd


 Author's signature

S. No.	EC Conditions	Compliance Status
(i)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the	Complied with.
(ii)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Complied with.
(iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986	Complied with.
(iv)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement	Noted.
(v)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution	Complied with.
(vi)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied with.
(vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance	Complied with. Results of Monitored Data is enclosed as Annexure-4.

Dr. Karimganj Biosciences Pvt. Ltd.
 Authorised Signatory



No.	EC Conditions	Compliance Status
(viii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of	Complied with.
(ix)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be	Complied with.
(x)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied with.
(xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.


for Karinganji Bhandari Pvt. Ltd.
 Authorised Signatory


प्रमाण-पत्र

प्रमाणित किया जाता है कि मेरे द्वारा परीक्षण में मेसर्स करीमगंज बायो फ्यूल्स प्रा० लि० आसवनी ईकाई रानीनांगल, सरदार नगर, पोस्ट मानपुर जिला मुरादाबाद (उ०प्र०) के सभी कार्यरत कर्मचारी स्वस्थ पाये गये, जिसमें कोई भी छुआछुत की बीमारी के लक्षण नहीं हैं।
जिसकी सूची संलग्नक है

संलग्नक : उपरोक्तानुसार

दिनांक : 28/3/2025


प्रमाणित किया गया अधिकारी
सामुदायिक स्वास्थ्य केंद्र, मानपुर, मुरादाबाद

DETAILS OF MANPOWER KARIMGANJ BIOFUELS PVT.LTD.DISTILLERY UNIT-RANINANGAL & SARDAR NAGAR,MORADABAD (UP)

S. NO.	Emp.Id.	NAME of EMP	Fathers Name	DESIGNATION	DOB	DEPTT.	ADDRESS
1	2700	ATUL SHARMA	SH.BRIJPAL SHARMA	MANAGER COMMERCIAL	20-Mar-89	EXCISE	H. No.-99, Royal Enclave, Kashipur (U.K.)
2	8001	MAN SINGH	RAM KISHOR SINGH	STORE ASSTT.	1-Jan-97	STORE	VILLAGE-PARASUPURA BAJE POST-MANPUR TEH.MORADABAD DIST-MORADABAD UP
3	8003	SUJEET KUMAR RAI	JAGDISH RAI	ASST. MANAGER	10-Sep-88	STORE	VILL & POST- SURAJPUR DIST- MAU, (UP) -276306
4	8007	RAJKUMAR TEOTIA	SATYAVIR SINGH	MANAGER (MECH.)	6-Jan-79	MECHANICAL	VILL-PARTAPUR, PO-PILKHUWA, DISTT- HAPUR
5	8013	SUKHRANJAN SUTRADHAR	GANESH SUTRADHAR	CIVIL ENGINEER	12-Apr-81	CIVIL	32 A, NAUJALHA NAKATAHA, PO-MADHOTANDA , TEH-KALI NAGAR, DISTT-PELEBHIT (UP)-262122
6	8036	BHUVNESH SHARMA	VINOD KUMAR SHARMA	MANAGER (WTP)	2-Jul-89	CPU	VILL- GHASI PUR, POST- BEHJOI, TEH- CHANDASI, DISTT- SAMBHAL
7	8051	SANDEEP KUMAR SINGH	RAVINDRA PRATAP SINGH	MANAGER ACCOUNTS	1-Aug-81	ACCOUNT	A-1495,SURYA NAGAR, LINE PAR ,MORADABAD,UTTAR PRADESH-244001
8	8054	VIMLESH SINGH	ASHOK KUMAR	ELECTRICAL HELPER	17-Oct-98	ELECTRICAL	VILL- BARDIHA DAI, BELDIHA , DISTT- DEORIA (UP) 274204
9	8060	SUMIT KUMAR	PATRAM SINGH	ASSTT. ELCTRICIAN	6-Dec-99	ELECTRICAL	VILL& POST- ASMOLI, DISTT- SAMBHAL (UP)
10	8081	AMARJEET SINGH	MUKHTIYAR SINGH	SECURITY OFFICER	1-Jan-60	SECURITY	VILL-PATTI DOLO KI,CHOHIA SAHIB,TARAN TARAN,PUNJAB-143408
11	8087	SANJU	RAMGOPAL	KHALASI	1-Jan-89	MECHANICAL	VILLAGE-PARVATPUR,POST-CHANDPUR,PIPALSANA,MORADABAD-244402
12	8090	MANISH KUMAR TIWARI	UDAYRAJ TIWARI	ELECTRICAL HELPER	12-Jun-98	ELECTRICAL	NARAYANPUR,BHADA,SULTANPUR,UTTAR PRADESH-227816
13	8091	KIRANPAL SINGH	MITRAPAL SINGH	LAB CHEMIST	15-Mar-87	PROCESS LAB	SURAJ NAGAR PITAL NAGARI,AKANKSHA SCHOOL KE PAS ,POST-KATGHAR,MORADABAD-244001
14	8096	ABHISHEK RATHI	PUSHPENDRA	SUPERVISOR	10-Jan-98	SECURITY	GOELA,MUZAFFARNAGAR,UTTAR PRADESH-251318
15	8103	PINTU KUMAR	SURESH DAS	MECHANICAL FITTER	10-Oct-95	MECHANICAL	VILLAGE-KUTUBPUR,POST-BIDUPUR BAZAR,DISTRICT-VAISHALI,BIHAR-844503
16	8109	SANASBIR	JOGENDRA SINGH	MECHANICAL FITTER	9-Jul-95	MECHANICAL	V+P- SAWTU,DISTRICT- MUZAFFARNAGR(UP) ,251319
17	8113	JAY PRAKASH	JAGAN SINGH	FERMENTATION HELPER	1-Jan-01	FERMENTATION	VILLAGE-DANDI DURJAN,POST-MANPUR,MORADABAD-244001
18	8114	SANDEEP PAL	RAJENDRA PAL	INSTRUMENT TECHNICIAN	26-Dec-91	INSTRUMENT	SERUA DHARAMPUR,POST-AGHWANPUR,MORADABAD,UTTAR PRADESH-244001

Authorized Signature
Karimganj Bio Fuels Pvt. Ltd
Moradabad

प्रभारी विनिर्देशाधिकारी
राजीव राय, भोजपुर, मुरादाबाद

राज्यक आयकारी आयुक्त
करीमगंज बायोफ्यूल प्रा० लि०
रानीनांगल, मुरादाबाद

S. NO.	Emp.Id.	NAME of EMP	Fathers Name	DESIGNATION	DOB	DEPTT.	ADDRESS
19	8118	SOBHIT KUMAR	OMVEER SINGH	LAB BOY	6-Jul-97	PROCESS LAB	SAMDA CHATAR BHOJ MORADABAD,UTTAR PRADESH-244001
20	8120	MUNESH KUMAR	RAMKISHOR SINGH	LAB BOY	15-Jun-01	PROCESS LAB	VILLAGE-PARSUPURA BAJE,POST-MANPUR,THANA-BHGATPUR,MORADABAD-244001
21	8125	UJJWAL VERMA	UMESH VERMA	WAREHOUSE HELPER	5-Oct-01	WAREHOUSE	VILL-MUNDIYA PISTORE, POST-MUNDIYA, BAZPUR (UK)-262401
22	8128	AJEET KUMAR GUPTA	PREM PRAKASH GUPTA	ASSISTANT MANAGER -T.O./HR	12-Jun-77	HUMAN RESOURCE	INDRA COLONY KATAGHAR,NEAR HANUMAN MURTI,POST OFFICE-KATAGHAR,MORADABAD,UTTAR PRADESH-244001
23	8131	RAJPAL SINGH	NARAYAN SINGH	SR.ELECTRICIAN	10-Jul-81	ELECTRICAL	123, HIMMATPUR, NEAR PETROL PUMP, HIMPUR, KASHIPUR (UK)-244713
24	8132	RAVI KUMAR	HARSH PAL SINGH	WEIGHTMENT CLERK	1-Jul-90	MOLASSES UNLOADING	BANGLA GAON, SONU NURSERY, MORADABAD
25	8136	MUKESH KUMAR	JAY PRAKASH	AGM HR & ADMIN	10-Jul-71	HUMAN RESOURCE	DEHCHAND,MUZAFFARNAGAR,KUTESRA,UTTAR PRADESH-251001
26	8138	KULDEEP	GANGA SARAN	WELDER	15-Apr-96	MECHANICAL	FAZALPUR,DHANAURA,AMROHA,UTTAR PRADESH-244235
27	8142	ANUJ	SARVESH KUMAR	HELPER WAREHOUSE	19-Jun-96	WAREHOUSE	VILL-NAKATPURI KHURD,POST-MANPUR,DISTRICT-MORADABAD(U.P)-244001
28	8145	ROHIT KUMAR	SATYABHAN SINGH	LAB BOY	14-Jul-96	PROCESS LAB	VILL-PARSUPURA BAJE,POST-MANPUR,DSTRIC-MORADABAD-244001
29	8151	MAYUR SAXENA	PRAKASH CHANDRA SAXENA	TR.TIME KEEPER	1-Jun-89	HUMAN RESOURCE	H.NO.16,JWALANAGAR,BAJRANG VIHAR,RAMPUR CITY,RAMPUR,UTTAR PRADESH
30	8156	AAKIB	ZAKIR HUSSAIN	TRAINEE ELECTRICIAN	15-Apr-03	ELECTRICAL	VILL-SUAWALA,POST-SUAWALA SHERKOT,BIJNOR,UTTAR PRADESH-246747
31	8158	RAHUL KUMAR	RAJESH KUMAR	KHALASI	29-Jul-92	MECHANICAL	PARVATPUR MAHANAND,POST-CHANDPUR,MORADABAD,UTTAR PRADESH-244402
32	8159	SUNIL KUMAR	RAM PARSAD SINGH	DISTILLATION OPT.	2-Jul-92	DISTILLATION	MADIYYO,AKBARPUR GAHRA,ASMOLI,SAMBHAL,UTTAR PRADESH-244304
33	8161	SUNIL KUMAR	SURESH KUMAR	ELECTRICIAN	2-May-93	ELECTRICAL	VILL-BILAKUDAN ,POST-MANPUR,DISTRICT-MORADABAD,UTTAR PRADESH-244001
34	8172	TEETOO SINGH	JOGRAJ SINGH	ASSISTANT DISTILLATION OPERATOR	6-Sep-90	DISTILLATION	VILL-SADDIK NAGAR, POST-CHHITONI, TEHSIL-SHAHBAD, DISTT-RAMPUR (U.P.)
35	8175	RAJKUMAR	HARPAL SINGH	FITTER HELPER	3-May-95	MECHANICAL	VILL-RATANPURA, POST-SARKARA KHAS, DISTT.-MORADABAD (UP)
36	8181	MOHIT KUMAR	VINOD KUMAR	LAB ATTENDANT (FUEL)	12-Jan-00	PLC/LAB	VPO-TISUA, FARIDPUR, DISTT.-BAREILLY
37	8190	INDRAPAL SINGH	HARGOVIND SINGH	SR. RIGGER	17-Sep-81	MECHANICAL	VPO-PIPLI KALAN URF RAIPUR,TEHSIL-DHANAURA, DISTT-AMROHA (U.P.)-244236

Authorized Signature
Karimganj Bio Fuels Pvt. Ltd
Moradabad

प्रमुख निरिक्षा अधिकारी
समूह कार्यालय, भोजपुर, मुसदाबाद

सहायक आवककारी आयुक्त
करीमगंज बायोफ्यूल प्रा० लि०
रानीगंज, मुसदाबाद

S. NO.	Emp.Id.	NAME of EMP	Fathers Name	DESIGNATION	DOB	DEPTT.	ADDRESS
38	8191	SAHAB SINGH	RAM DAYAL	SR. TECHNICIAN	15-Jun-77	INSTRUMENTATION	VILL+ POST - TILSAI KALAN, KASGANJ ,UTTAR PRADESH
39	8194	NARENDRA SINGH	JAGIR SINGH	SR. RIGGER	1-Jan-74	MECHANICAL	H. NO. 204, KESHARPUR, PS BITHRI, , BAREILLY (U.P.)-243001
40	8200	AMIT KUMAR	KUNWAR SEN	CPU HELPER	6-May-97	CPU	VILL-BILAKUDAN ,POST-MANPUR,DISTRICT-MORADABAD,UTTAR PRADESH-244925
41	8201	NACHHATTAR SINGH	SADHU SINGH	S.O	10-Feb-71	SECURITY	STREET NO. 81, NEAR TAPSTHAN GURDWARA, NEW CANTT ROAD, FARIDKOT (PB)
42	8202	KUSHLENDRA	SOMPAL SINGH	ASSISTANT MEDICAL OFFICER	15-Aug-95	DISPENSARY	VILL. BHAANPUR KHALSHA, GAJRAULA, DISTT. AMROHA (U.P.)
43	8207	JEEVA SAGAR	KARTAR SINGH	LIQUEFACTION OPERATOR	15-May-95	LIQUEFACTION	VILL NAKATPURI KHURD, POST MANPUR, DISTT. MORADABAD (UP)-244925
44	8214	KAJAL TANDON	S. K. TANDON	GODOWN CLERK	23-Mar-66	WAREHOUSE	GALI NO.-5, RAILWAY HARTHALA COLONY, NEAR NEHRU JUNIOR HIGH SCHOOL
45	8215	HIMANSHU CHAUDHARY	NEMPAL SINGH	LAB CHEMIST	11-Aug-01	PLC/LAB	VILL -HARIPUR MILAK, POST- SAIDPUR GANGU, DISTT-SAMBHAL
46	8216	SANDEEP	SARVESH KUMAR	LIQUIFICATION HELPER	9-Dec-97	LIQUEFACTION	VILL-NAKATPURI KHURD, POST-MANPUR, DISTT-MORADABAD (UP)-244925
47	8217	CHAMAN SINGH	AMICHAND URF ALI	LIQUIFICATION HELPER	30-Jun-93	LIQUEFACTION	VILL-DANDI DURJAN, POST-MANPUR, DISTT-MORADABAD (UP)-244925
48	8218	SHANY KUMAR	SATYABHAN SINGH	LIQUIFICATION HELPER	12-Jul-03	LIQUEFACTION	VILL-PARSUPRA BAJE, POST-MANPUR, DISTT-MORADABAD (UP)-244925
49	8219	RAJENDRA SINGH	AANAND SINGH	STORE ASSTT.	24-Aug-98	STORE	MOHALLA PATTIWALA, KANTH DISTT MORADABAD (UP)
50	8227	SUMIT KUMAR	YOGENDRA SINGH	FERMENTATION HELPER	1-Jul-00	FERMENTATION	VILL-PARSUPURA BAJE, POST-MANPUR, DISTT-MORADABAD (UP)
51	8235	MANEESH KUMAR	MANOJ KUMAR	DISTILLATION OPT.	5-Feb-00	DISTILLATION	VPO-KANKAR KHERA, DISTT-MORADABAD (UP)
52	8237	SUSHIL KUMAR	DESHRAJ SINGH	CPU CHEMIST	15-Dec-80	CPU	VILL-HADARPUR,POST-DHOKALPUR, DISTT-BIJNOR (UP)
53	8240	SHUBHAM KUMAR	JOGENDRA SINGH	LIQUEFACTION OPERATOR	20-Jul-98	LIQUEFACTION	VPO-PIPLA JAGIR, NOORPUR, DISTT-BIJNOR (UP)-246734
54	8241	ANUJ KUMAR	JAGAT SINGH	PEON	9-Aug-00	GENERAL OFFICE	VILL-NIWAR KHAS, POST-MANPUR, TEHSIL & DISTT.-MORADABAD (UP)-244925
55	8244	RAVI KUMAR	SURESH SINGH	SALES EXECUTIVE	8-Nov-89	WAREHOUSE	VILLAGE-BERKHERA, POST-MANPUR, TEHSIL & DISTT-MORADABAD (UP)-244925
56	8245	SACHIN KUMAR	HARPAL SINGH	OFFICER	8-Aug-96	ACCOUNTS	VILL-SAMDA CHATURBHUI, POST-MANPUR, TEHSIL & DISTT-MORADABAD (UP)-244925

Authorized Signature
Karimganj Bio Fuels Pvt. Ltd
Raninagar Moradabad

प्रमुख निर्यात अधिकारी
राज्य खाद्य केन्द्र, भीमपुर, मुरादाबाद

सहायक आदकारी आयुक्त
करीमगंज बायोफ्यूल प्रा० लि०
रानीगंज, मुरादाबाद


S. NO.	Emp.Id.	NAME of EMP	Fathers Name	DESIGNATION	DOB	DEPTT.	ADDRESS
57	8247	AMEER KHAN	MOHD. ASLAM	DISTILLATION OPT.	4-Mar-01	DISTILLATION	KHANPUR BAND, POST ASMOLI, DISTT.-SAMBHAL (UP)
58	8248	MOHD. WASEEM	MOHD. HANIF	FERMENTATION HELPER	1-Jan-00	FERMENTATION	VILL-BERKHERA CHAK, POST-MANPUR, TEHSIL & DISTT.-MORADABAD (UP)-244925
59	8251	PRASHANT KUMAR	JAIBIR SINGH	LAB CHEMIST	20-Jun-93	PLC/LAB	VILLAGE- DUNGAR, POST-RAJPUR-CHHAJPUR, TEHSIL - BUDHANA, DISTT.-MUZAFFARNAGAR (UP)
60	8252	PRADEEP KUMAR	RAMAVTAR SINGH	TIME KEEPER	12-Nov-96	PERSONNEL	BANK COLONY NEAR GAUTAM BUDDHA PARK, KHUSHHALPUR, MORADABAD
61	8255	SAURABH KUMAR	VIJAY PAL SINGH	ASSISTANT DISTILLATION OPERATOR	5-Jul-95	DISTILLATION	VILLAGE NAURANGABAD, POST ALHAIPUR, TEHSIL DHAMPUR, DISTT.-BIJNOR (UP)-246761
62	8256	MAYUF ALI	GULAM SABIR	WELDER	1-Mar-88	MECHANICAL	VILLAGE-SAHARYA NARPAT, POST & TEHSIL-TANDA, DISTT-RAMPUR (U.P.)
63	8258	MUKESH KUMAR	HARSWAROOP SINGH	ASSISTANT MANAGER (INSTRUMENT)	1-Jul-81	INSTRUMENT	LAXMI NAGAR, NEAR GURUDWARA, DHAKIA GULABO, KASHIPUR (U. S. NAGAR-UTTARAKHAND)-244713
64	8262	PAPPU CHAUDHARY	MAHENDRA CHAUDHARY	MILLING OPERATOR	1-Jan-89	MILLING	VILLAGE-BAHADUR CHAK, POST-ASHRAFPUR, DISTT.- NALANDA (BIHAR) - 801305
65	8265	JITENDRA KUMAR	RAJEEV KUMAR	LIQUIFICATION HELPER	06-Mar-01	LIQUEFACTION	VILLAGE PADIYA NAGLA, POST PIPALSANA AHATMALI, DISTT. MORADABAD (UP)-244402
66	8268	MEHRAB ALI	SARFARAZ HUSIAN	DISTILLATION OPT.	02-Mar-03	DISTILLATION	VILLAGE KHANPUR BAND, POST ASMOLI, DISTT. SAMBHAL (UP)
67	8270	SAURABH CHAUHAN	SOMPAL SINGH	FITTER	07-Jul-87	MECHANICAL	MOHALL KAYASTHAN, BILASPUR, DISTT. RAMPUR (U.P.)
68	8272	KAISAR ALI	ABBAS ALI	CPU OPT.	11-May-97	CPU	VPO BANDRAHA, DISTT. HARDOI (UP)
69	8274	SURAJ KUMAR RAUT	ANAND DAS RAUTEL	OFFICER	20-Jul-95	EHS	A/23/8 VINDHYA COLONY NOWROZABAD, DISTT UMARIA (MP)
70	8275	BOBY	UDAY PAL SINGH	LAB BOY	25-Oct-99	PLC/LAB	VILLAGE SAMDA CHATURBHUI, POST MANPUR, DISTT. MORADABAD (UP)-244925
71	8277	LAKSHMANN PRASAD	DEENA NATH	MILLING OPERATOR	08-Aug-95	MILLING	VILLAGE RERUWA, DISTRICT GONDA (UP)-271126
72	8279	SANJAY	PHOOL SINGH	PEON/RECORD KEEPER	01-Jul-96	ACCOUNTS	VILLAGE & POST MALWARA URF MANPUR, TEHSIL & DISTT. MORADABAD
73	8281	RAJIV KUMAR	VIJAY SINGH	TECHNICIAN	07-Oct-93	INSTRUMENTATION	VILLAGE JATPURA SHUMALI, AMROHA (UP)-244251
74	8282	SHRIKANT KAUSHIK	MANIKANT KAUSHIK	ACCOUNTANT	10-Oct-86	ACCOUNTS	ABOVE ANAND ARMOURY, COURT ROAD, GURHATTI, MORADABAD
75	8283	NITIN SINGH	NARESH PAL SINGH	MILLING OPERATOR	01-Jan-03	MILLING	VILLAGE MUHIUDDINPUR, PS SHERGARH, DISTT BAREILLY (UP)-243505


Authorized Signature
Karimganj Bio Fuels Pvt. Ltd
Raninagar Moradabad


सहायक आयकारी आयुक्त
करीमगंज बायोफ्यूल प्रा. लि.
रानीनगर, मुरादाबाद

सहायक आयकारी आयुक्त
करीमगंज बायोफ्यूल प्रा. लि.
रानीनगर, मुरादाबाद

S. NO.	Emp.Id.	NAME of EMP	Fathers Name	DESIGNATION	DOB	DEPTT.	ADDRESS
76	8284	ABHISHEK VERMA	PRAMOD VERMA	ASST.ENGINER	08-Sep-98	MECHANICAL	SHYAM KANHAIYA COLONY GOLA GOKARNNATH, LAKHIMPUR KHERI (UP)
77	8285	SONVEER SINGH CHA	SANTOSH SINGH CHAUHAN	FIRE & SAFETY SUPERVISOR	10-Mar-01	EHS	VILLAGE IMALIYA POST PACHOKARA, DISTT. FIROZABAD
78	8289	MANOJ KUMAR	RATAN SINGH	WAREHOUSE OPERATOR	19-Jul-97	WAREHOUSE	VILLAGE PARSUPURA BAJE, POST MANPUR, TEHSIL & DISTT. MORADABAD (UP)-244925
79	8290	VIVEK KUMAR SINGH	VIBHUTI SHARAN SINGH	ASSTT. TECHNICIAN	08-Feb-02	INSTRUMENTATION	SUGAR MILL NOORPUR, DEOBAND, DISTT. SHARANPUR (UP)
80	8291	AVNEESH	GREESH CHANDRA	ASSTT. FITTER	11-Aug-00	MECHANICAL	VILL. PITAM NAGAR POST NARDOI DIST.KASGANJ
81	8297	MANOJ KUMAR SHAR	RAJENDRA SHARMA	ASSTT. OPERATOR/HELPER	01-Jan-94	WAREHOUSE	VILAGE Khabadiya Ghat Post Manpur Moradabad Uttar Pradesh 244001
82	8298	KRISHAN DUTT SHAR	SATISH CHANDRA SHARMA	CPU OPT.	02-Mar-01	CPU	VILLAGE IKOUNA RAHRA TEHSELI HASANPUR , DISTT. AMROHA (UP) 244255
83	8299	DEEPAK VERMA	TILAK DHARI VERMA	FIRE & SAFETY SUPERVISOR	09-Sep-90	EHS	VILLAGE- SURJANNAGAR TAJ MARKET (M.S.T)MORADABAD (UP) 244602
84	8300	DALBEER SINGH	HARNAM SINGH	DRYER OPERATOR	10-Oct-91	DRIER	VILLAGE-RANNAGAR LATIFPUR POST-RAMNAGAR TEH.TANDA DISTT-RAMPUR (UP) (244925)
85	8301	SITARAM	SHIVKUMAR	FIRE & SAFETY SUPERVISOR	16-Aug-99	EHS	VILLAGE- GADAUA CHHAURA ,HATHRAS (UP) 204216
86	8303	SURAJ PRAJAPATI	RAMDIAL PRAJAPATI	DRYER OPERATOR	15-Feb-00	DRIER	A/23/8 VINDHYA COLONY NOWROZABAD, DISTT UMARIA (MP)
87	8304	TREVENDER KUMAR	CHANDRABHAN SINGH	FITTER	18-Jan-83	MECHANICAL	VPO-MAUJAMPUR SURAJ, DISTT.-BIJNOR (UP)-246761
88	8305	SANDEEP	MAHENDRA SINGH	DRYER OPERATOR	10-Jun-96	DRIER	VILLAGE KAILAPUR JASMOR, DISTT. MUZAFFAR NAGAR (UP)-251315
89	8306	JITENDRA SINGH	AJEET SINGH	ASSTT. FITTER	14-Feb-88	MECHANICAL	MEVLA KALAN RAMPUR UTTAR PRADESH -244925
90	8307	PRINCE KUMAR	SHANKAR SINGH	ASSTT. TECHNICIAN	23-Aug-24	INSTRUMENTATION	WARD NO.2 SHIV DURGA MANDIR THAKURDWARA DIST.MORADABAD
91	8309	JAGAT SINGH	SHIV CHARAN SINGH	DRYER OPERATOR	01-Jan-95	DRIER	VILL.DEHRA ,RANKHANDI DIST.SHARANPUR (UP) 247554
92	8311	AJAY KUMAR	BAJINDER SINGH	FERMENTATION OPT.	10-Feb-99	FERMANTATION	HOUSE NO 104 VILLAGE GADHIDULIA POST OFFICE BINAULI (UP)
93	8314	FARUK	SHAKEEL AHMAD	ELECTRICIAN	02-Jan-90	ELECTRICAL	VILLAGE MILAK SEEKAMPUR POST RAMNAGAR TANDA UTTAR PRADESH
94	8315	GAURAV	SHOVIR SINGH	DECANTOR OPERATOR	06-Aug-04	DECANTER	VILLAGE REHTANA TEHSIL BHARUAT DIST.BAGHAPT (UP)



 Authorized Signature
 Karimganj Bio Fuels Pvt. Ltd
 Raninagar Moradabad



 प्रकाश चन्द्रा अधिकारी
 राणीगंज, भोजपुर, मुरादाबाद


 सहायक आचकारी आयुक्त
 करीमगंज बायोफ्यूल प्रा0लि0
 रानीगंज, मुरादाबाद

S. NO.	Emp.Id.	NAME of EMP	Fathers Name	DESIGNATION	DOB	DEPTT.	ADDRESS
95	8317	RAKESH KUMAR	MISHRI SINGH	ASSISTANT OPERATOR CPU	21-Jul-88	CPU	PATPURI URF PARVATPUR DAMMU POST MAANPUR MORADABAD (UP)
96	8318	SHANU KUMAR	GAJENDRA SINGH	WEIGHMENT CLERK	07-Mar-98	WAREHOUSE	VILLAGE JAMANABAD POST BACHHRAUN DHANAURA (UP)
97	8319	BRAJESH KUMAR	LAJJARAM SINGH	SHIFT INCHARGE	02-Aug-87	PROCESS	MADHURI RESIDENCY NEAR NAGLA NEHRA AGRA (UP)
98	8321	MOHD NIZAM	MOHD YASEEN	FERMENTATION HELPER	01-Jan-00	FERMENTATION	NAKATPURI KHURD POST MAANPUR DIST.MORADBAD
99	8322	GAURAV	RAKESH KUMAR	FITTER	07-Jan-94	MECHANICAL	VILLAGE NANGLA MAL POST MAUKHAS DIST.MEERUT (UP)
100	8324	AMAR PAL	PUNNA RAM	FERMENTATION OPT.	15-Aug-98	FERMENTATION	VILL SHAMLI SHAMLA, POST UNN, P.S JHINJHANA, DISTT. SHAMLI (UP)
101	8326	PRAVEEN KUMAR	UDAIVEER SINGH	ELECTRICAL ENGINEER	05-Jul-96	ELECTRICAL	ROHINI ENCLAVE BACHAN SINGH COLONY GALI NO 06 NEAR BHUMIYA KHERA DIST MUZZAGARNAGAR
102	8328	ANIKET KUMAR PANI	RAMESH PANDEY	CPU CHEMIST	15-Jul-95	CPU	VILLAGE.RAWATPAR PANDEY POST LAR RAOD DIST.DEORIA (UP)
103	8330	SHUBHAM PRATAP S	KAMAL SINGH	FITTER HELPER	01-Dec-97	MECHANICAL	VILL.SETA KHERA POST TANADA DIST.RAMPUR (UP)
104	8331	AMAN KUMAR	SATENDRA KUMAR	DISTILLATION HELPER	15-Dec-01	DISTILLATION	VILLAGE .KUNDIPURA POST KEDARPUR DIST.BIJNOR MORADABAD
105	8332	BRAHAM RAJ	MAHENDRA SINGH	QUALITY CHEMIST	08-Oct-02	PLC/LAB	VILL.DAURARA POST GANESHWARI DIST.AMROHA (UP)
106	8333	MUKESH KUMAR	YASHWANT SINGH	ASSISTANT FITTER DRYER	01-Jun-94	MECHANICAL	VILLAGE SAMASPUR NASIB POST HARGANPUR DIST.BIJNOR (UP)
107	8334	HIMANSHU BHARDWAJ	ARVIND KUMAR SHARAM	ASST.DRYER OPP.	05-Nov-01	DRIER	SURYA NAGAR LINEPAR DIST.MORADABAD
108	8336	KAUSHLENDRA YADAV	CHATUR SINGH YADAV	SHIFT INCHARGE	05-Nov-95	PROCESS	VILL.POORANPUR POST BARSA DIST.SITAPUR (UP)
109	8338	ANKIT	KARAN SINGH	ASSTT. TECHNICIAN	01-Jul-98	INSTRUMENTATION	VILLAGE FIROJPUR UGRSEN DIST.BIJNOR (UP)
110	8339	WASHIM AHMAD	SHAMIM AHMAD	SHIFT INCHARGE	07-Mar-97	PROCESS	VILLAGE:- DAYA POST:- RASOOLABAD TEH:-RASOOLABAD UTTAR PRADESH 209306
111	8340	AJAY PAL SINGH	VIJAY PAL SINGH	ASSTT. FITTER	05-Oct-97	MECHANICAL	LALPUR POST:- DARIYAL TEHSIL:- TANDA DISTT. RAMPUR UTTAR PRADESH
112	8341	AMIT KUMAR	KAMLESH KUMAR	LIQUEFACTION OPERATOR	05-Apr-97	LIQUEFACTION	VILLAGE:- SHAMKARPUR POST :- SHANKARPUR DISTT:- LAKHIMPUR KHERI UTTAR PRADESH
113	8342	VIPIIN KUMAR	SH.BALBIR SINGH	ASST.ENGINER	05-Jul-95	MECHANICAL	VILLAGE:- TITAWI POST:- TITAWI DISTT:- MUZAFFARNAGAR UTTAR PRADESH PIN CODE:-251301


 Authorized Signature
 Karimganj Bio Fuels Pvt. Ltd
 Rampur Moradabad


 प्रमुख निदेश अधिकारी
 कार्मगंज बायोफ्यूल प्रा. लि.
 राणीनांगल, मुरादाबाद


 सहायक आवकारी आयुक्त
 करीमगंज बायोफ्यूल प्रा. लि.
 राणीनांगल, मुरादाबाद

S. NO.	Emp.Id.	NAME of EMP	Fathers Name	DESIGNATION	DOB	DEPTT.	ADDRESS
114	8343	PAWAN KUMAR	TEJPAL SINGH	WEIGHMENT CLERK	15-Sep-05	WAREHOUSE	VILL.NIWAR KHASH POST MAANPUR DIST.MORADABAD
115	8344	KULDEEP SINGH	JAYJAYRAM SINGH	ASSTT. FITTER	10-Jun-97	MECHANICAL	VILL.KHERA GAJROULLA POST RAMNAGAR DIST.RAMPUR (UP)
116	8345	SANDEEP KUMAR	UDAYVEER SINGH	TRAINEE LAB CHEMIST	12-Apr-00	PLC/LAB	MUKHWAR BARHAN DIST.AGRA (UP)
117	8346	SUNNY KUMAR	VINOD KUMAR	FITTER	09-Sep-00	MECHANICAL	VILLAGE:-DHANDHERA POST:- NEW MANDI DISTT:- MUZAFFARNAGAR UTTAR PRADESH PIN CODE:-251001
118	8347	PRASHANT CHAUHAN	PRABHASH CHAUHAN	QUALITY CHEMIST	05-Jan-91	PLC/LAB	TILAK COLONY RAMPUR UP
119	8348	SANJAY KUMAR	SAMANTA	ASSISTANT OPERATOR CPU	10-Dec-98	CPU	VPO-KANKARKHERA, BLOCK - BHAGATPUR TANDA, DISTT. MORADABAD
120	8349	PRASHANT	BRAJKISHOR	FERMENTATION HELPER	01-Jan-05	FERMENTATION	VILL-SENTAKHERA MAJHRA JALLUS NAGAR, POST-TANDA DISTT- RAMPUR (UP)
121	8350	NITIN KUMAR	GOPI SINGH	CPU HELPER	22-Nov-01	CPU	VILL-DUNGARPUR, POST MANPUR, DISTT. -MORADABAD (UP)
122	8351	DILEEP KUMAR SHARMA	RAMSARAN SHARMA	CPU CHEMIST	26-Mar-91	CPU	VILL.HARIHARPUR POST BIJALI SAHASPUR DIST.LAKHIMPUR KHERI 262804
123	8352	GAUTAM TOMER	MR SANJIV KUMAR	FERMENTATION OPT.	01-Jan-00	FERMENTATION	VILL.RATANA POST BEGAMABAD GARI DIST.BAGHPAT (UP)
124	8353	SONU RAJ	MR VEER SINGH	FERMENTATION HELPER	01-Jan-93	FERMENTATION	VILLAGE NAKATPURI KHURAD POST MANPUR DIST.MORADABAD
125	8354	RISHABH CHAUDHARY	MR.VEER SINGH	TR.QUALITY CHEMIST	18-Feb-04	PLC/LAB	VILLAGE BHAWANIPUR POST BHUDHANPUR PIPALSANA MORADABAD (UP) 244402
126	8355	JITENDRA SINGH	BRIJLAL SINGH	LAB BOY	02-Feb-02	PLC/LAB	VILLAGE DOONGARPUR POST MAANPUR DIST.MORADABAD
127	8356	KAUSHAL CHAUDHARY	RAJEEV CHAUDHARY	SR. CHEMIST	01-Jan-00	PLC/LAB	MOHA.GANDHI NAGAR DIST.AMROHA (UP)
128	8357	KULDEEP KUMAR	MAHENDRA SINGH	ASSTT. ELCTRICIAN	09-Mar-99	ELECTRICAL	VILL.NAKATPURI KHURD POST MAANPUR DIST MORADABAD (UP)
129	8358	KARAMVEER SINGH	HEM SINGH	WEIGHMENT CLERK	04-Jan-82	WAREHOUSE	VILL.RUSTAMPUR TIGRI POST LALUWALA DIST.MORADABD
130	8359	KULDEEP	SUBHAS SINGH	FITTER	24-Dec-96	MECHANICAL	BADLI TANDA POST TANDA DIST.RAMPUR (UP)
131	8360	FAZ KHAN	ABRAR AHMAD	MANDI OFFICER	20-Sep-96	WAREHOUSE	MOH.RAM PRASHAD GAUD POST ALIGANJ DIST.SAMBHAL
132	8361	PRIYANSU KUMAR SHARMA	ANUJ SHUKLA	DECANTOR OPERATOR	02-Aug-99	DECANTER	VILL.KHERWA POST BERJAM DIST.LAKHIMPUR (UP)


Authorized Signature
Karimganj Bio Fuels Pvt. Ltd
Raninagar Moradabad


सहायक आबकारी आयुक्त
करीमगंज बायोफ्यूल प्रा० लि०
रानीनगर, मुरादाबाद

सहायक आबकारी आयुक्त
करीमगंज बायोफ्यूल प्रा० लि०
रानीनगर, मुरादाबाद

S. NO.	Emp.Id.	NAME of EMP	Fathers Name	DESIGNATION	DOB	DEPTT.	ADDRESS
133	8362	RAJAT KUMAR	VISHNI SINGH	QUALITY SUPERVISOR	01-Jan-02	MILLING	VILLAGE NIWAR KHAS POST MAANPUR DIST.MORADABAD UP
134	8363	RAJ KUMAR	OMDATTA SHARMA	CPU OPT.	15-Feb-99	CPU	VILLAGE GANGEPIURA POST PIPARTHARA DIST BAREILLY (UP)
135	8364	HARI SHANKAR SHAR	ASHOK SHARMA	WELDER	05-Jun-00	MECHANICAL	VILLAGE DAUD SARI POST AMROHA DIST AMROHA (UP)
136	8365	AJAY	RAM GOPAL	ASSTT. ELCTRICIAN	17-Jul-96	ELECTRICAL	MOHALLA GANDHI NAGAR TEH.MEERIGANI DIST.BAREILLY (UP) 243505
137	8366	VIKUL	LOKESH	TRAINEE LAB CHEMIST	01-Jan-01	PLC/LAB	VILLAGE ATALI POST NAGWA TEH. BUDHANA DIST.MUZAFFARNAGAR (UP)
138	8367	PIYUSH UPADHYAY	SHASHI BHUSHAN UPDHYAY	WAREHOUSE CLERK	01-Jan-00	WAREHOUSE	77, PREM NAGAR, SITAPUR (UP)
139	8368	VICHITRA KUMAR SH	NARESH KUMAR SHARMA	STORE OFFICER	01-Jan-87	STORE	VILLAGE VEERPUR FATEHULLAPUR MORADABAD


 Authorized Signature
 Karimganj Bio Fuels Pvt. Ltd
 Raninagar Moradabad


 प्रकाश चंद्रा अधिकारी
 रातुन खास केन्द्र, भीमपुर, मुरादाबाद


 सहायक वायकारी आयुक्त
 करीमगंज वायोफ्यूल प्रा० लि०
 रानीनांगल, मुरादाबाद

प्रारूप-छ (संलग्नक-6)

अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

यूआईडी संख्या: UPFS/2022/64335/MRB/MORADABAD/966/JD

दिनांक: 15-10-2022

प्रमाणित किया जाता है कि मैसर्स **KARIMGANJ BIOFUELS PRIVATE LIMITED** (भवन/प्रतिष्ठान का नाम) पता **KHASRA NO 1 MIN 338 340 341 342 VILLAGE RANI NAGAL, VILLAGE RANI NAGAL POST MANPUR, Moradabad** तहसील - **Moradabad**, प्लॉट एरिया **40468.60 sq.mt**, कुल कवर्ड एरिया **3680.00** (वर्ग मीटर), ब्लॉकों की संख्या - **2** जिसमें

ब्लॉक/टावर	प्रत्येक ब्लॉक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
BLOCK A	5	0	14.80 mt.
BLOCK B	3	0	14.80 mt.

है। भवन का अधिभोग मैसर्स **KARIMGANJ BIOFUELS PRIVATE LIMITED** द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन0बी0सी0 एवं तत्संबंधी भारतीय मानक ब्यूरो के आई0एस0 के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण **अग्निशमन अधिकारी** द्वारा दिनांक **19-10-2022** को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री **RANA PREET** के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्रुत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एन0बी0सी0 की अधिभोग श्रेणी **Industrial** के अन्तर्गत वैधता तिथि **21-10-2022** से **20-10-2025** तक **3** वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मैसर्स **KARIMGANJ BIOFUELS PRIVATE LIMITED** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण निर्धारित समयावधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मैसर्स **KARIMGANJ BIOFUELS PRIVATE LIMITED** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

Note : In view of the recommendation reports of cfo and fso. The NOC is being issued

"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों, सूचनाओं के आधार पर निर्गत किया जा रहा है। इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा। यह प्रमाण-पत्र भूमि / भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है।"

हस्ताक्षर (निर्गमन अधिकारी)



Digitally Signed By
(AMAN SHARMA)

[6F3173ACF1282848601D36130C6B4188B05EE040]

21-10-2022

निर्गत किये जाने का दिनांक : 21-10-2022
स्थान : LUCKNOW

KARIMGANJ BIOFUELS PRIVATE LIMITED

Village- Raninangal & Sardar Nagar, Post-Manpur,

District- Moradabad (U.P.) - 244925

Tel.: 0591-2254039

CIN: U24293CH2020PTC043359, GST No.: 09AAICK4557D1ZE

Ref No. KBPL/RANI/2024

Dated: 01/09/2024

Re: Environment Monitoring Committee/Cell

Sir,


An Environment Monitoring Committee comprising of the following is hereby constituted afresh: -

1. Mr. Bhuvnesh Sharma – Sr. Manager
2. Mr. Mukesh Kaushik – AGM (EHS)
3. Mr. Shakti Balian – Manager (Process)
4. Mr. Balendra Singh – HR Head

Scope of work of Environment Monitoring Committee will be as under: -

1. The committee will ensure proper working of all the equipments used for monitoring of various process of testing of Effluent Water & Air and other related activity of Environment.
2. The committee will discuss the results and its effect on Water & Air and follow the procedure as per norms stipulated by MoEF.

The meeting of the committee will be held once in a month i.e. 1st Wednesday at 11 hours of every month in the office of the undersigned.



Bhuvnesh Sharma

Sr. Manager



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality	AAQ-180225-01	22/02/2025

Issued To: M/s Karimganj Biofuels Pvt. Ltd.

Address: Rani Nagal PO – Manpur, District – Moradabad (U.P.) India

SAMPLING & ANALYSIS DATA

Sample Drawn On	: 17/02/2025
Sample Drawn By	: NTL Representative
Sample description	: Ambient Air
Sampling Location	: At The Top of Distillery Admin Block
Sampling Plan & Procedure	: SOP-AAQ/08
Analysis Duration	: 18/02/2025 to 22/02/2025
Average Flow Rate of SPM (m ³ /min.)	: 1.14
Average Flow Rate of Gases (lpm)	: 1.0
Sampling Instrument Used	: Respirable Dust Sampler (PM ₁₀), Fine Particulate (PM _{2.5}) Sampler
Weather Condition	: Clear
Wind Direction	: East to West

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	78.34	µg /m ³	100.0
2.	Particulate Matter (PM _{2.5})	IS:5182 Part-XXIV	46.85	µg /m ³	60.0
3.	Sulphur dioxide (as SO ₂)	IS:5182 Part-II	9.94	µg /m ³	80.0
4.	Nitrogen dioxide (as NO ₂)	IS:5182 Part-VI	24.16	µg /m ³	80.0

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY



AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com

Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality	AAQ-180225-02	22/02/2025

Issued To: M/s Karimganj Biofuels Pvt. Ltd.

Address: Rani Nagal PO – Manpur, District – Moradabad (U.P.) India

SAMPLING & ANALYSIS DATA

Sample Drawn On	: 17/02/2025
Sample Drawn By	: NTL Representative
Sample description	: Ambient Air
Sampling Location	: Near ETP
Sampling Plan & Procedure	: SOP-AAQ/08
Analysis Duration	: 18/02/2025 to 22/02/2025
Average Flow Rate of SPM (m ³ /min.)	: 1.14
Average Flow Rate of Gases (lpm)	: 1.0
Sampling Instrument Used	: Respirable Dust Sampler (PM ₁₀), Fine Particulate (PM _{2.5}) Sampler
Weather Condition	: Clear
Wind Direction	: East to West

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	79.64	µg /m ³	100.0
2.	Particulate Matter (PM _{2.5})	IS:5182 Part-XXIV	45.39	µg /m ³	60.0
3.	Sulphur dioxide (as SO ₂)	IS:5182 Part-II	9.48	µg /m ³	80.0
4.	Nitrogen dioxide (as NO ₂)	IS:5182 Part-VI	24.22	µg /m ³	80.0

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY



AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | **Website :** www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Waste Water	WW-180225-01	22/02/2025

Issued To: M/s Karimganj Biofuels Pvt. Ltd.

Address: Rani Nagal PO – Manpur, District – Moradabad (U.P.) India

SAMPLING & ANALYSIS DATA

Sample Drawn On : 17/02/2025
 Sample Drawn By : NTL Representative
 Sample Received on : 18/02/2025
 Sample Description : CPU Inlet
 Sample Quantity : Plastic cane+ Glass Bottle
 Analysis Duration : 18/02/2025 to 22/02/2025

TEST RESULTS				
S.No	Parameter	Test Method	Results	Units
1.	pH	IS:3025(Part-11)	4.35	-
2.	Total Suspended Solid	IS:3025(Part-17):1984	45.0	mg/l
3.	Chemical Oxygen Demand (as O ₂)	IS:3025(Part-58):2006	2562.0	mg/l
4.	Biological Oxygen Demand (as O ₂) 3 days at 27°C	IS:3025(Part-44):1993	1305.0	mg/l
5.	Oil & Grease	IS-3025(Part-39)	BDL	mg/l

BDL- Below Detection Limit

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY



AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | **Website :** www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Waste Water	WW-180225-02	22/02/2025

Issued To: M/s Karimganj Biofuels Pvt. Ltd.

Address: Rani Nagal PO – Manpur, District – Moradabad (U.P.) India

SAMPLING & ANALYSIS DATA

Sample Drawn On : 17/02/2025
 Sample Drawn By : NTL Representative
 Sample Received on : 18/02/2025
 Sample Description : CPU Outlet
 Sample Quantity : Plastic can+ Glass Bottle
 Analysis Duration : 18/02/2025 to 22/02/2025

TEST RESULTS				
S.No	Parameter	Test Method	Results	Units
1.	pH	IS:3025(Part-11)	7.28	-
2.	Total Suspended Solid	IS:3025(Part-17):1984	BDL	mg/l
3.	Chemical Oxygen Demand (as O ₂)	IS:3025(Part-58):2006	19.0	mg/l
4.	Biological Oxygen Demand (as O ₂) 3 days at 27°C	IS:3025(Part-44):1993	4.68	mg/l
5.	Oil & Grease	IS-3025(Part-39)	BDL (<4)	mg/l

BDL- Below Detection Limit

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY



AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | **Website :** www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Water	W-180225-01	22/02/2025

Issued To: M/s Karimganj Biofuels Pvt. Ltd.

Address: Rani Nagal PO – Manpur, District – Moradabad (U.P.) India

SAMPLING & ANALYSIS DATA

Sample Drawn By : NTL Representative
 Sample Drawn On : 17/02/2025
 Sample Quantity : 2.0 Lt. + 500 ml.
 Sample Description : Bore well Water - 1
 Analysis Duration : 18/02/2025 to 22/02/2025

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.No.	Parameter	Test Method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Turbidity	IS-3025(P-10)	<1.00	NTU	1	5
2.	pH value	IS-3025(P-11)	7.27	-	6.5 - 8.5	-
3.	Electrical Conductivity	IS-3025(P-14)	562	µmhos/cm	-	-
4.	Total dissolve solid (TDS)	IS-3025(P-16)	458	mg/l	500	2000
5.	Total Suspended solid (TSS)	IS-3025(P-17)	<1.0	mg/l	-	-
6.	Total Solid (TS)	IS-3025(P-15)	462	mg/l	-	-

GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
7.	Calcium (as Ca)	IS: 3025 (P- 40)	57.12	mg/l	75	200
8.	Chloride (as Cl)	IS: 3025 (P- 32)	25.48	mg/l	250	1000
9.	Fluoride (as F)	IS: 3025 (P-60)	0.29	mg/l	1.0	1.5
10.	Free Residual Chlorine	IS: 3025 (P-26)	BDL	mg/l	0.2	1.0
11.	Iron (as Fe)	IS: 3025(P-53)	0.162	mg/l	1.0	No Relaxation
12.	Magnesium (as Mg)	IS: 3025 (P-46)	9.85	mg/l	30	100
13.	Nitrate (as NO ₃)	IS: 3025 (P- 34)	BDL	mg/l	45	No Relaxation
14.	Sulphate (as SO ₄)	IS: 3025 (P- 24)	34.59	mg/l	200	400
15.	Alkalinity (as Ca CO ₃)	IS: 3025 (P- 23)	196.0	mg/l	200	600
16.	Total Hardness (as CaCO ₃)	IS: 3025 (P- 21)	225.0	mg/l	200	600
17.	Sodium (Na)	APHA 21 st Edit.	19.0	mg/l	-	-
18.	Potassium (K)	APHA 21 st Edit.	1.7	mg/l	-	-

BDL- Below Detection Limit

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Noise	AN-180225-02	22/02/2025

Issued To: M/s Karimganj Biofuels Pvt. Ltd.

Address: Rani Nagal PO – Manpur, District – Moradabad (U.P.) India

SAMPLING & ANALYSIS DATA

Sample Drawn On : 17/02/2025
 Sample Drawn By : NTL Representative
 Sample Received On : 18/02/2025
 Sample description : Ambient Noise
 Sampling Location : Near ETP

RESULTS

S. No.	Test Parameters	Results	Units	Requirement (as per CPCB Guidelines Limits in dB)		
				(A) Leq		
1.	L _{day} (6:00 AM to 10:00 PM)	73.5	dB(A)	Category of Area/Zone	Day Time	Night Time
				Industrial Area	75	70
2.	L _{night} (10:00 PM to 6:00 AM)	69.4	dB(A)	Commercial Area	65	55
				Residential Area	55	45
				Silence Zone	50	40

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Noni
CHECKED BY



AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com