


M/s Superior Biofuels Private Limited


Compliance Report of Environmental Clearance Conditions

01.10.2025 to 31.03.2026


	EC Condition	Compliance Status
A. Specific Conditions:		
1	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented as per proposed in Annexure-II.	Complied with.
2	EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project. Conversion of land use (CLU) certificate shall be obtained before start of construction activities.	Complied with.
3	Total fresh water requirement shall not exceed 1200 m ³ /day, which will be sourced from adjacent sugar mill of M/s Superior Biofuels Pvt. Ltd. No ground water recharge shall be permitted within the premises. No ground water abstraction shall be permitted. Industry shall construct a rain water storage pond of 60 rainfall days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	Being Complied with
4	Spent Wash/stillage shall be sent to the decanter followed by the Multiple Effect Evaporator and dryer to form DDGS. DDGS to be used as cattle feed. Spent wash from sugar syrup shall be concentration in MEE and concentrated spent wash shall be burn in the incineration boiler. The MEE & Drier condensate, spent lees, WTP Rejects, Boiler & Cooling tower blowdowns, washings etc., is shall be treated in the 'Condensate Polishing Unit' (CPU). STP shall be installed to treat domestic wastewater. The plant will be based on 'Zero Liquid Discharge' system and no effluent/treated water will be discharged outside factory premises.	Being Complied with
5	ESP with a 72 meters high stack will be installed with the spent wash and biomass fired 50 TPH boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm ³ . Coal shall not be used as fuel in the 50 TPH boiler. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices/ systems will be conducted annually.	Being Complied with. Stack Emission Report enclosed as Annexure-1.
6	Boiler ash (53 TPD) will be supplied to brick. PP shall use spent wash and biomass as fuel for the proposed boiler. PP shall meet 15% of the total power requirement from solar power by generating power inside plant premises.	Being Complied with




7	CO2 (220 TPD) generated during the fermentation process will be collected by utilizing CO2 scrubbers and it shall be sold to authorized vendors/collected in proposed bottling plant.	Noted.
8	PP shall allocate at least Rs. 0.5 Crore/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Occupational Health Check-up of the workers is being done on regular basis. Copy of Medical Report of all workers enclosed as Annexure-2.
9	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Being Complied with
10	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms. PESO certificate shall be obtained.	Complied with. Fire NOC has been obtained from UP Fire Department, copy of which is enclosed as Annexure-3. The unit has also obtained PESO Certificate, copy of which is enclosed as Annexure-4.
11	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Complied with
12	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Being Complied with
13	The green belt of at least 5-10 m width shall be developed in 2.86 hectares i.e., 33 % of total project area shall be maintained with tree density @ 2500 trees per hectares, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map. Thick green belt shall be developed between the plant boundary and parking area. Saplings 4-6 feet in height shall be planted. Indigenous species shall only be developed as part of greenbelt and non- indigenous / alien species shall be replaced with native species. No invasive or alien or non-native tree species shall be selected for plantation. PP shall develop atleast 20 variety of species as a part of greenbelt.	Being Complied with



14	PP proposed to allocate Rs. 3.00 Crores towards Extended EMP (CER) which shall be spent as submitted in CER plan (Annexure-III). Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with District Administration.	Being Complied with
15	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes with facilities like rest rooms etc.	Complied with.
16	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.	Being Complied with.
17	Continuous online (24x7) monitoring system for stack emissions/effluent shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Being Complied with.
18	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/ Director/CEO as per company hierarchy.	Complied with. Copy of EMC enclosed as Annexure-5.
19	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.	Noted.
B. General Conditions:		



1	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted.
2	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Complied with.
3	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Being Complied with. Ambient Noise Report is enclosed as Annexure-6.
4	The company shall undertake all relevant measures for improving the socio- economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Being Complied with
5	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Complied with
6	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied with.
7	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied with. Monitored Data is being enclosed as Annexure-7.



Handwritten signature and circular stamp of Superior Biofuels Pvt. Ltd.

8	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Noted.
9	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied with.
10	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted.
11	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.



A handwritten signature in blue ink is written over a circular blue stamp. The stamp contains the text "S. S. BIOFUELS PVT. LTD." around the perimeter.

Stack Monitoring

ULR- TC824125000004122

Report No.		Reference No.		Issue Date	
PCS/SE/01/2025		PCS/SBPL/01/2025		31/12/2025	
1.Name & Address of Industry		M/s Superior Biofuels Private Ltd. Village- Shamli-Shamla, Tehsil- Unn, District- Shamli, U.P- 247778			
2.Type of Industry 3.Sampling Point 4.Sample Collected by 5.Weather Condition 6.Method of sampling 7. Lab Code		Distillery Rice Husk Fired Boiler (Cap-50 TPH) Mr. Vipin & Mr. Sunil Clear PCS/WI/SAMP/20 PCS25/218/3433	8. Date of Monitoring 9. Sample Receipt in Lab 10. Date of Testing 11. Analyzed by	25/12/2025 26/12/2025 26/12/2025-27-12-2026 Mr. Ajay Kumar	
S. No.	Particulars			Value	
1.	Stack Attached to			ID Fan of Boiler	
2.	Type of Stack			Circular	
3.	Stack height from Ground (m)			72.0	
4.	Height of sampling port from ground(m)			31.0	
5.	Material of Construction of Stack			RCC	
6.	Diameter of Stack (m)			2.0	
7.	Capacity			50 Ton / hr	
8.	Type of fuel used			Paddy/ Husk	
9.	Fuel consumption			13-14 Ton / hr	
10.	Normal operating hour			As Per Requirement	
11.	APCS			ESP, Pneumatic ash handling system, Silo with bag filter	
12.	Sampling Duration (min)			60.0	
13.	Atmospheric temperature (K)			293	
14.	Flue Gas temperature (K)			429	
15.	Flue Gas Exit Velocity (m/s)			13.56	
16.	Flue Gas Discharge (Nm3/hr)			104077.6	
		Pollutants	Reference Method	Value	Standard*
		a. PM (mg/ Nm ³)	IS 11255 PART-1:1985	35.8	250
		b. SO ₂ (mg/Nm ³)	IS 11255 PART-2:1985	76.2	-
		c. CO (mg/Nm ³)	PCS/SOP/ST/03:2021	30.5	-
		d. CO ₂ (%)	PCS/SOP/ST/03:2021	13.1	-
		e. O ₂ (%)	PCS/SOP/ST/03:2021	4.6	-
		f. NOx as NO ₂ (mg/Nm ³)	PCS/SOP/ST/NOx/12:2021	139.4	-

PM value is normalized at 6% O₂ Correction

*Emission Standards for Boiler prescribed under E (P) Act 1986. (As per the revised standard vide moef & CC notification dt.-16-05-2023)

Note: 1.The results in the Test Report related only to the items tested.

2. The report shall not be reproduced-except in full without the written permission of laboratory

3. The report shall not be used for any other purpose than declared by the sponsor.

4. Prakriti Consultants services are not regulatory agency hence no part of this report should be used for legal purpose under any circumstances.

5. No deviation as per Standard Method.

Divya Misra

(Dr Divya Misra)
Authorized Signatory

“End of this Test Report”

Services Available

Environmental Monitoring, Preparation of EIA/EMP, Baseline data generation for Air, Water, Soil, Noise & Meteorology
Environmental and Safety Audit reports, Commissioning, Erection, Operation and Maintenance of STP/ETP, Clearances from
Ground Water Board, Compliance of E.C., NOC from UPPCB, MoEF

प्रमाण पत्र

प्रमाणित किया जाता है कि मेरे द्वारा परीक्षण में सुर्पागिर वायोपयूल्स प्रा0लि0, शामली शामला, जिला-शामली (उ0प्र0) के सभी कार्यरत कर्मचारी स्वस्थ पाये गये, तथा किसी भी कर्मचारी में कोई भी छुआछूत की बीमारी के लक्षण नहीं है। जिसकी सूची संलग्न है।

संलग्नक:- उपरोक्तानुसार

दिनांक:- 17-03-2026

17-03-2026
Dr. SHASHI KANT
Medical Officer
Pac Patna C.H.C., UN: Distt. SHAMLI (U.P.)

Superior Bio Fuels PVT.LTD.

Health Checkup of Employee

S.No.	Employee Name	Father's Name	Date of Birth	Age	Temp.	Pulse/min	BP mmHg	Eye	Chest	Dental	Heart	Health	Remark
1	Yogendra Tomer	Lakhan Singh	18-11-1974	51	98/100	80/min	120/80	ALBP	11/11	NAD	S.S.G	Good	Fit
2	Naib Singh	Molu Ram	10-02-1959	67	"	80/min	120/80	"	"	"	"	"	"
3	Jaspal Singh	Ram Singh	10-05-1989	36	"	72/min	120/78	"	"	"	"	"	"
4	Raj Kumar Singh Teotia	Satyavir Singh	06-01-1979	47	"	80	120/80	"	"	"	"	"	"
5	Rajendra Singh	Satypal Singh	26-03-1962	64	"	76	120/78	"	"	"	"	"	"
6	Rohit Kumar Behal	Gurbachan Singh	23-03-1992	34	"	90	120/72	"	"	"	S.S.G	"	"
7	Bineet Kumar Upadhyay	Ghanshyam	01-04-1986	40	"	80	120/76	"	"	"	NAD	"	"
8	Ankit Kumar	Satya Pal	21-07-1994	31	"	78	120/70	"	"	"	"	Good	"
9	Sachin Kumar	Vinod Kumar	04-02-1992	34	"	76	120/70	"	"	"	"	"	"
10	Abhishek	Surendra Kumar Sharma	18-01-1997	29	"	81	120/80	"	"	"	"	"	"
11	Sandeep Kumar	Rishi Pal	15-07-1992	33	"	79	114/70	NAD	8/11	"	"	"	"
12	Sachin Kumar	Ashok Kumar	05-02-1997	29	"	76	118/80	"	"	"	"	"	"
13	Komal Singh	Virendra Kumar	01-07-1987	38	"	84	130/76	"	"	NAD	"	"	"
14	Yogesh Kumar	Rishi Pal Saini	21-11-1994	31	"	76	132/80	"	"	"	"	"	"
15	Rahul Khatiyani	Bishan Singh	20-03-1996	30	"	76	120/70	"	"	"	"	"	"
16	Vaibhav Rathi	Madan Pal Singh	30-09-1991	34	"	78	120/80	"	"	"	"	"	"
17	Vansh Kumar	Gazendra Singh	04-04-1998	28	"	80	119/70	"	"	"	"	"	"
18	Prashant Pratap	Hariom	08-03-1993	33	"	72	120/74	"	"	"	"	"	"
19	Pankaj Kumar	Mahander Singh	02-03-1985	41	"	81	124/70	NAD	9/11	"	S.S.G	"	"
20	Devendra Singh	Jai Pal Singh	02-07-1976	49	"	68	124/80	"	"	"	"	"	"
21	Shekhar	Babruman	14-12-1998	27	"	84	119/79	"	"	"	"	"	"
22	Jatin Kumar	Jai Parkash	03-02-1997	29	"	90	133/72	"	"	"	"	"	"
23	Naeem Ahamad	Anwar Ahamad	10-07-1990	35	"	78	160/80	"	"	"	"	"	"
24	Sumit Kumar	Surendra	02-07-1996	29	"	70	130/74	"	"	"	"	"	"
25	Sonu Das	Sheo Prasad Das	03-06-1998	27	"	68	130/70	"	"	"	"	"	"
26	Bhoopendra Kumar Sharma	Pradeep Kumar Sharma	20-06-1996	29	"	82	114/70	"	"	"	"	"	"
27	Pavan Kumar	Ompal	13-07-1981	44	"	78	128/80	"	"	"	"	"	"
28	Arun Kumar Sharma	K.B.Bhushan	01-08-1972	53	"	76	120/80	"	"	"	"	"	"
29	Shivam Pandey	Shriom Panday	12-06-2002	23	"	84	120/80	NAD	"	"	"	"	"

Dr. SHASHI KANT
Medical Officer
C.H.C. UNN Dist. S.A.M.L. (U.P.)

Superior Bio Fuels PVT.LTD.

Health Checkup of Employee

S.No.	Employee Name	Father's Name	Date of Birth	Age	Temp.	Pulse	BP	Eye	Chest	Dental	Heart	Health	Remark
30	Chaudhary Ankit Kumar	Ombeer Singh	12-04-1990	36	98	76	120/80	NRD	NRD	NRD	NRD	good	fit
31	Ashish Kumar	Subhash	25-09-1998	27	"	72	126/76	"	"	"	"	"	"
32	Mehtab	Julfikar	10-07-1996	29	"	80	126/76	"	"	"	"	"	"
33	Pankaj Kumar	Satpal Singh	01-07-1986	39	"	70	126/76	"	"	"	"	"	"
34	Sandeep Singh	Narotam Singh	27-01-1995	31	"	68	131/76	"	"	"	"	"	"
35	Shivam Panwar	Naresh Panwar	15-12-1997	28	"	88	124/90	"	"	"	"	"	"
36	Abhishek Choudhary	Virendra Choudhary	13-07-1995	30	"	80	130/80	"	"	"	"	"	"
37	Udham Singh	Vivekanand	23-05-1994	31	"	91	128/80	"	"	"	"	"	"
38	Arvind Kumar	Jugal Kishore	01-01-1977	49	"	76	128/76	"	"	"	"	"	"
39	Narendra Kumar	Vikram Singh	30-08-1983	42	"	84	124/76	"	"	"	"	"	"
40	Nafees	Nazir Ahmed	03-09-1989	36	"	68	128/80	"	"	"	"	"	"
41	Naresh Kumar	Banwari Lal	10-11-1978	47	"	69	146/76	"	"	"	"	"	"
42	Narendra Kumar	Late Shri Mohan Lal	18-04-1976	49	"	72	124/80	"	"	"	"	"	"
43	Bittu Sharma	Sunil Sharma	01-02-1994	32	NRD	74	126/76	"	"	"	"	"	"
44	Vivek Dwivedi	Ashok Dwivedi	07-05-1994	31	"	87	118/70	NRD	B/L	"	"	good	fit
45	Naman Yadav	Manoj Kumar Yadav	19-08-2000	25	"	84	120/80	"	NRD	NRD	"	"	"
46	Nitin Kumar Kapil	Kamal Kumar Kapil	05-08-1986	39	"	76	128/80	"	"	"	"	"	"
47	Pardeep Kumar	Mahendra Singh	15-04-1969	57	"	72	130/80	"	"	"	"	"	"
48	Gulab Singh	Jagdish	01-01-1982	44	"	72	132/84	"	"	"	"	"	"
49	Rahul Kumar	Ashok Kumar	24-06-1994	31	"	80	130/80	"	"	"	"	"	"
50	Prince Kumar	Sanjay Kumar	02-05-1996	29	"	80	128/76	"	"	"	"	"	"
51	Krishanapal	Jagvir Singh	30-06-1967	58	"	80	132/82	"	"	"	"	"	"
52	Jayveer Singh	Dharampal Singh	16-10-2000	25	"	72	120/80	"	"	"	"	"	"
53	Harsh Chaudhary	Devendra Singh	25-04-2004	21	"	80	120/80	"	"	"	"	"	"
54	Govinda Sharma	Shashidhar Sharma	21-09-1991	34	"	91	122/80	"	"	"	"	"	"
55	Mohit Sharma	Pramod Sharma	14-03-1997	29	"	80	126/76	"	"	"	"	"	"
56	Rajesh Kumar	RAM BALI	06-02-1985	41	"	70	130/79	"	"	"	"	"	"
57	Amrkanth Panwar	Nafe Singh Panwar	17-10-1998	27	"	74	120/76	NRD	"	"	"	good	fit
58	Mohammad Alam	Kabeer Husain	01-07-1993	32	"	86	121/76	"	"	"	"	"	"

Dr. SHASHI KANT
Medical Officer
P.H.C. UN'DISH SHAMLI (U.P.)

Superior Bio Fuels PVT. LTD.

Health Checkup of Employee

S No	Employee Name	Father's Name	Date of Birth	Age	Temp.	Pulse	BP	Eye	Chest	Dental	Heart	Health	Remark
59	Abdul Rahaman	Alzal Ahamad	04-06-1993	32	100/80	70	120/80	NAD	11	NAD	11	Good	
60	Mazid Hasan Tomar	Umaridin	15-12-1970	55	11	72	120/80	11	11	11	11	11	
61	Jitendra Kumar Chaudhary	Dharendra Chaudhary	07-05-1994	31	11	81	120/70	11	11	11	11	11	
62	Mukul Dev	Sunil Kumar	02-03-2001	25	11	74	118/70	11	11	11	11	11	
63	Vijay	CHANDERVEER	10-07-1977	48	11	80	126/80	11	11	11	11	11	
64	Anuj Kumar	Naresh Kumar	07-09-1993	32	11	90	120/80	11	11	11	11	11	
65	Rituraj Kaushik	Shiv Kumar	31-01-2002	24	11	86	112/70	11	11	11	11	11	
66	Krishan Gopal	Chand Ram	01-12-2002	23	11	78	118/70	11	11	11	11	11	
67	Sohit	Sunder Pal	05-10-2004	21	11	79	124/80	11	11	11	11	11	
68	Akshit Chaudhary	Arvind Chaudhary	22-04-2007	18	11	79	124/80	NAD	R/L	NAD	S/S	Good	Fit
69	Abhishek Baliyan	Sureshpal Singh	02-07-1997	28	11	80	126/76	11	11	11	11	11	
70	Sagar Sharma	Ghanshyam	15-10-1999	26	11	82	130/80	11	11	11	11	11	
71	Brajbhushan	Dhrampal	03-07-1976	49	11	79	130/76	11	11	11	11	11	
72	Ankur Kumar	Madan	13-07-1989	36	11	69	131/76	11	11	11	11	11	
73	Tej Pal	Ramesh	07-06-1991	34	11	70	131/80	11	11	11	11	11	
74	Sonu Kumar	Lokesh Kumar	11-06-1995	30	11	82	120/78	11	11	11	11	11	
75	Mukul Pratap Rana	Predeep Rana	13-04-1989	37	11	79	122/80	11	11	11	11	11	
76	Ashish Kumar	SubhashChandra	14-09-2000	25	11	84	122/78	11	11	11	11	11	
77	Pintu Pal	Charan Singh	17-03-1997	29	11	76	128/74	11	11	11	11	11	
78	Atul Sharma	Manoj Sharma	01-07-2002	23	11	78	130/80	NAD	11	11	11	11	
79	Sushil	Nakli	11-07-1997	28	11	79	132/80	11	11	11	11	11	
80	Kuldeep	Indar Pal	10-06-1996	29	11	80	136/81	11	11	11	11	11	
81	Amit Kumar	Bhojraj Singh	05-12-1985	40	11	81	128/76	11	11	11	11	11	
82	Ashvani	Braham Singh	01-05-1999	26	11	72	124/80	11	11	11	11	11	
83	Shokin	Atar Singh	01-05-1991	34	11	76	120/76	11	11	11	11	11	
84	Dheeraj Kumar	Rajendra Singh	18-11-2003	22	11	80	130/80	11	11	11	11	11	
85	Sunil Kumar	Birham Singh	15-08-1978	47	11	90	128/72	11	11	11	11	11	
86	Yashwant Singh Rathour	Vikram Singh	29-07-2002	23	11	86	120/80	11	11	11	11	11	
87	Rohit Kumar	Tej Pal Singh	08-05-1998	27	11	78	119/78	11	11	11	11	11	

Dr. SHASHI KANT

Medical Officer

Box Inform | C.H.C. UNK. Distt. SHAMLI (U.P.)

Superior Bio Fuels PVT.LTD.

Health Checkup of Employee

S.No.	Employee Name	Father's Name	Date of Birth	Age	Temp.	Pulse	BP	Eye	Chest	Dental	Heart	Health	Remark
88	Krishankant	Satish Sharma	25-06-1999	26	100/min	80/min	120/80	NA	NA	NA	NA	Good	Fit
89	Vikas	Sahab Singh	29-01-2000	26	110/min	70/min	126/76	NA	NA	NA	NA	Good	Fit
90	Monti	Ram kumar	03-07-2001	24	110/min	70/min	124/80	NA	NA	NA	NA	Good	Fit
91	Pravesh Kumar	Shyam Singh	15-10-1995	30	110/min	72/min	120/80	NA	NA	NA	NA	Good	Fit
92	Sohit Kumar	Madan pal singh	06-08-1997	28	110/min	69/min	131/81	NA	NA	NA	NA	Good	Fit
93	Punit Kumar	Jasshu Singh	12-03-1999	27	110/min	82/min	126/76	NA	NA	NA	NA	Good	Fit
94	Anup Singh	Shripal Singh	01-01-1988	38	110/min	74/min	128/80	NA	NA	NA	NA	Good	Fit
95	Ramesh Chand	Jasmer Singh	15-02-1976	50	110/min	86/min	130/76	NA	NA	NA	NA	Good	Fit
96	Sachin Kumar	Pritam Singh	15-07-1993	32	110/min	86/min	120/76	NA	NA	NA	NA	Good	Fit
97	Ankit Kumar	Ompal Sharma	08-05-1995	30	110/min	72/min	124/78	NA	NA	NA	NA	Good	Fit
98	Vinit kumar	Sompal Singh	23-03-2002	24	110/min	74/min	130/80	NA	NA	NA	NA	Good	Fit
99	Sanjay Kumar	KRIPAL SINGH	07-02-1987	39	110/min	72/min	118/70	NA	NA	NA	NA	Good	Fit
100	Praveen Kumar	Bhupendra Singh	06-12-1995	30	110/min	80/min	124/72	NA	NA	NA	NA	Good	Fit
101	Jitendra Sharma	Jeevan Kishor Sharma	05-07-1998	27	110/min	72/min	138/78	NA	NA	NA	NA	Good	Fit
102	Paramjeet Singh	Soraj Singh	11-08-1994	31	110/min	89/min	126/80	NA	NA	NA	NA	Good	Fit
103	Raj Kumar	Pyara Lal	07-07-1977	48	110/min	70/min	118/80	NA	NA	NA	NA	Good	Fit
104	Deepak	Om Singh	06-01-1977	49	110/min	76/min	126/80	NA	NA	NA	NA	Good	Fit
105	Sanni Kumar	Tara Chand	05-04-2000	26	110/min	74/min	124/78	NA	NA	NA	NA	Good	Fit
106	Vineet Kumar	Parmod Kumar	16-09-1993	32	110/min	77/min	130/82	NA	NA	NA	NA	Good	Fit
107	Anshul	Sat Kumar	26-02-1997	29	110/min	80/min	112/76	NA	NA	NA	NA	Good	Fit
108	Shahanwaj Ahmad	Mahtab Ali	04-05-1995	30	110/min	72/min	118/76	NA	NA	NA	NA	Good	Fit
109	Shubham Rathi	Madan Rathi	29-09-2002	23	110/min	82/min	120/80	NA	NA	NA	NA	Good	Fit
110	Dipanshu Sharma	Mahesh Kumar	10-07-2000	25	110/min	76/min	120/80	NA	NA	NA	NA	Good	Fit
111	Ankit	Prem Pal	09-07-2001	24	110/min	80/min	126/80	NA	NA	NA	NA	Good	Fit
112	Kartik Pal	Biendra Pal	07-01-2007	19	110/min	71/min	112/78	NA	NA	NA	NA	Good	Fit
113	Himanshu	Rajendra Kumar	31-12-2002	23	110/min	82/min	118/78	NA	NA	NA	NA	Good	Fit
114	Sourabh Kumar	Jagpal	11-12-2000	25	110/min	68/min	124/78	NA	NA	NA	NA	Good	Fit
115	Rajinder Paul Sharma	Prem Chand Sharma	05-04-1972	54	110/min	78/min	128/78	NA	NA	NA	NA	Good	Fit
116	Harish	MAHIPAL	15-06-1993	32	110/min	80/min	124/78	NA	NA	NA	NA	Good	Fit

Dr. SHASHI KANT

Medical Officer

PMC Pndn/CHC, UNN DESH SHAMLI (U.P.)

Superior Bio Fuels PVT.LTD.

Health Checkup of Employee

S.No.	Employee Name	Father's Name	Date of Birth	Age	Temp.	Pulse	BP	Eye	Chest	Dental	Heart	Health	Remark
117	Hannandan Kumar Sharma	Kailash Sharma	01-07-1989	36	98/76	80/min	120/80	NAD	B/L	NAD	S/S	good	fit
118	Meharban Hasan	Basheer	10-11-1997	28	96	76	126/76	11	11	11	11	11	11
119	Parmod Kumar	Jasbeer Singh	03-06-1992	33	90	76	130/76	11	11	11	11	11	11
120	Brijendra Kumar Singh	Vindeshweri Singh	27-08-1980	45	88	76	126/80	11	11	11	11	11	11
121	Sonu Kumar	Mahender Singh	12-05-2004	21	78	76	126/78	11	11	11	11	11	11
122	Gautam Kumar	Laxmichand	18-09-2002	23	78	76	120/76	11	11	11	11	11	11
123	Sonu Kumar	Jamnadas	01-01-1986	40	80	76	118/82	11	11	11	11	11	11
124	Harsh kumar	Dharmveer Singh	05-02-2007	19	71	76	120/84	11	11	11	11	11	11
125	Badal Chaudhary	Narendra singh	27-11-2001	24	76	76	128/76	NAD	B/L	NAD	11	good	fit
126	Shekhar	Shyam Singh	01-07-2001	24	80	76	130/76	11	11	11	11	11	11
127	Manoj Kumar	Ashok Kumar	25-02-1991	35	78	76	131/76	11	11	11	11	11	11
128	Vijay Singh	Mukesh Kumar	15-02-2003	23	90	76	136/84	NAD	11	11	11	good	fit
129	ESHAB PAL	Devendra	15-07-2003	22	76	76	118/81	11	11	11	11	11	11
130	Sokendra	Salekachand	10-05-1988	37	74	76	124/82	11	11	11	11	11	11
131	Kuldeep	Rajpal	01-01-1991	35	76	76	126/76	11	11	11	11	11	11
132	Adesh Kumar	Mahipal Singh	05-03-1996	30	78	76	130/84	11	11	11	11	11	11
133	Vishal Pal	Jogindra Singh	28-05-2002	23	70	76	131/78	11	11	11	11	11	11
134	Raj Kumar	Umar Singh	01-07-1975	50	80	76	128/78	11	11	11	11	11	11
135	Prashant Kumar	DARA SINGH	20-03-2003	23	76	76	114/80	11	11	11	11	11	11
136	Ajay Kumar	Sureshpal	01-05-1997	28	70	76	124/81	11	11	11	11	11	11
137	Rajan Choudhary	Narendra Choudhary	05-08-2000	25	88	76	125/78	11	11	11	11	11	11
138	Janak Kumar	Chaman Singh	01-01-1987	39	90	76	126/84	11	11	11	11	11	11
139	Ram Beer	Raj Kumar	09-06-1995	30	92	76	130/80	NAD	11	NAD	S/S	good	fit
140	Deepak Chauhan	Surendra Singh	02-10-1993	32	74	76	118/78	11	11	11	11	11	11
141	Basant Kumar	Rohtash Singh	10-09-1994	31	81	76	117/76	11	11	11	11	11	11
142	Mohd. Ummed	Saludeen	24-04-1986	39	87	76	128/78	11	11	11	11	11	11
143	Anurag	Rampal	11-07-1997	28	70	76	120/80	11	11	11	11	11	11
144	Rahul Kumar	Pheru Singh	24-11-1992	33	76	76	126/80	11	11	11	11	11	11
145	Vishu	Sunder Singh	18-08-2002	23	90	76	119/76	11	11	11	11	11	11

Dr. SHASHI KANT

Medical Officer

C.H.C. UNIT DISEASE CONTROL (U.P.)

Superior Bio Fuels PVT LTD.
Health Checkup Of Employee

S.No	Employee Name	Father's Name	Date Of Birth	Age	Temp.	Pulse	BP mm	Eye	Chest	Dental	Heart	Health	Remark
146	Anuj Awasthi	Divakar	20/02/1999	27	98.6	80/m	120/80	NAB	B/L M	NAB	SS	Good	GA
147	Ankur Malik	Sompal Singh	19/07/2002	23	11	79/m	102/80	11	11	11	11	11	11
148	Satendra Kumar	Harpal	05/06/1967	58	11	87/m	124/80	11	11	11	11	11	11
149	Balasaheb Krishna Dhaigude	Krishan Hambirrao Dhaigude	01/06/1970	55	11	85/m	112/80	NAB	11	11	11	11	11
150	Paul Chand	Mani Ram	08/01/1981	45	11	70/m	118/80	11	11	11	11	11	11
151	Vipin Kumar	Suresh Kumar	16/10/1999	26	11	66/m	118/80	NAB	11	11	11	11	11
152	Harshit Rathi	Adesh Rathi	21/06/1998	27	11	74/m	124/80	11	11	11	11	11	11
153	Kamal Sharma	Mahipal	15/07/1992	33	11	76/m	122/80	11	11	11	11	11	11
154	Subhash Kumar	Ved Prakash	19/08/1984	41	11	80/m	120/80	11	11	11	11	11	11
155	Pavan Kumar	Ompal	13/07/1981	44	11	87/m	124/80	11	11	11	11	11	11
156	Jitendra	Om Parkash	08/03/1995	30	11	84/m	122/80	11	B/L M	11	11	11	11
157	Pramod Kumar	Ramdhan	01/01/1981	44	11	78/m	124/80	11	11	11	11	11	11
158	Sahil	Ghayan Sharma	15/08/2000	25	11	80/m	120/80	11	11	11	11	11	11

[Handwritten signature]

[Handwritten signature]
17.3.2026
Dr. SHASHI KANT
Medical Officer
C.H.C., UNN DIST. SHAMLI (U.P.)

प्रारूप-छ (संलग्नक-6)

अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

यूआईडी संख्या: UPFS/2024/130735/SML/SHAMLI/555/JD

दिनांक: 14-02-2025

प्रमाणित किया जाता है कि मैसर्स **SUPERIOR BIOFUELS PVT LTD** (भवन/प्रतिष्ठान का नाम) पता **0,VILLAGE SHAMLI SHAMLA,SHAMLI** तहसील - **UNN**, प्लॉट एरिया **56656 sq.mt**, कुल कवर्ड एरिया **3015** (वर्ग मीटर), ब्लॉकों की संख्या - **1** जिसमें

ब्लॉक/टावर	प्रत्येक ब्लॉक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
SUPERIOR BIOFUELS PVT LTD	2	0	10.50 mt.

है। भवन का अधिभोग मैसर्स **SUPERIOR BIOFUELS PVT LTD** द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन0बी0सी0 एवं तत्संबंधी भारतीय मानक ब्यूरो के आई0एस0 के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण द्वारा दिनांक **20-02-2025** को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री **RANA KARANPARTAP SINGH, vp@ranagroup.com, 9815904460** के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्रगत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एन0बी0सी0 की अधिभोग श्रेणी **Industrial** के अन्तर्गत वैधता तिथि **21-02-2025** से **21-02-2028** तक **3** वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मैसर्स **SUPERIOR BIOFUELS PVT LTD** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण निर्धारित समयावधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मैसर्स **SUPERIOR BIOFUELS PVT LTD** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

Note : मुख्य/ अग्निशमन अधिकारी की स्थलीय निरीक्षण आख्या के आधार पर निम्न उपबन्धों के अधीन NBC-2016 उ0प्र0 अग्निशमन तथा आपात सेवा अधिनियम2022 नियमावली-2024 के अनुसार एन0ओ0सी0निर्गत किया जा रहा है 1-अर्ह अभिकर्ता से वर्ष के जनवरी व जुलाई माह में भवन में स्थापित अग्निशमन व्यवस्थाओं की कार्यशीलता का प्रमाण-पत्र विभाग को प्रेषित करें। 2-फायर उपकरणों का वार्षिक ए0एम0सी0/मरम्मत अर्ह एजेन्सी से कराया जाय। 3-विद्युत सुरक्षा निदेशालय का विद्युत सुरक्षा प्रमाण प्राप्त करना अनिवार्य होगा। भवन के स्वरूप की वैधता सम्बन्धित प्राधिकरण की शर्तों के अधीन होगा यदि सम्बन्धित सत्ता प्राधिकारी की शर्तों का उल्लंघन होता है, तो यह अनापत्ति प्रमाण पत्र स्वतः निरस्त समझा जायेगा

"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों, सूचनाओं के आधार पर निर्गत किया जा रहा है। इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा। यह प्रमाण-पत्र भूमि / भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है।"

निर्गत किये जाने का दिनांक : 21-02-2025
स्थान : LUCKNOW

हस्ताक्षर (निर्गमन अधिकारी)



Digitally Signed By
(Aman Sharma)

[A0269865B740788D0DE1F7D7C6707A357F263D40]

21-02-2025

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.): **P/CC/UP/15/5174(P516812)**

फीस रूपए (Fee Rs.) **50000/-** per year

M/s. SUPERIOR BIOFUELS PRIVATE LIMITED, SCO 51-52, FIRST FLOOR, SECTOR 8-C, CHANDIGARH, Chandigarh, Taluka: Chandigarh, District: CHANDIGARH, State: Chandigarh, PIN: 160009 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम **6064.00 KL** आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या **P/CC/UP/15/5174(P516812)** तारीख **24/01/2025** जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to **M/s. SUPERIOR BIOFUELS PRIVATE LIMITED, SCO 51-52, FIRST FLOOR, SECTOR 8-C, CHANDIGARH, Chandigarh, Taluka: Chandigarh, District: CHANDIGARH, State: Chandigarh, PIN: 160009** valid only for the importation and storage of **6064.00 KL** Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No **P/CC/UP/15/5174(P516812)** dated **24/01/2025** attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December **2029** तक प्रवृत्त रहेगी।

The Licence shall remain in force till the 31st day of December **2029**

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	6064.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	6064.00 KL

January 24, 2025

Jt. Chief Controller of Explosives
CC, Agra

1). Amendment dated - 07/05/2025

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टां संलग्न अनुमोदित नक्शों में दिखाई गई हैं **Khasra No: 1K,1KH,2K,2kh,17,1116,1126,1128,1129,1130,1131, 115MI, 1103A & B, 1004K & KH, 1127,1115 & 1099, VILL.SHAMLI - SHAMLA, SHAMLI-SHAMLA, UN, Taluka: UN, District: SHAMLI, State: Uttar Pradesh, PIN: 247778** स्थान पर अवस्थित है तथा उसमें निम्नलिखित **6 Above Ground tank(s) for CLASS A** सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at **Khasra No: 1K,1KH,2K,2kh,17,1116,1126,1128,1129,1130,1131, 115MI, 1103A & B, 1004K & KH, 1127,1115 & 1099, VILL.SHAMLI - SHAMLA, SHAMLI-SHAMLA, UN, Taluka: UN, District: SHAMLI, State: Uttar Pradesh, PIN: 247778** and consists of **6 Above Ground tank(s) for CLASS A** together with connected facilities.

Note:-This is system generated document does not require signature.

अनुज्ञप्ति संख्या-(Licence No.) P/CC/UP/15/5174 (P516812)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या नवीकरण की तारीख उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञप्ति फ़िस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी।	Date of Renewal	Date of Expiry of license	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature and office stamp of the licencing authority.
--	----------------------------	--------------------------------------	--

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.

SUPERIOR BIOFUELS PRIVATE LIMITED

Regd. Office: SCO 51-52, First Floor, Sector 8-C,
Madhya Marg, Chandigarh (UT) India-160009
Tel.: 0172-2540007, 2549217, 2773422 Fax: 2546809
CIN: U24304CH2019PTC042817
PAN No.: ABDCS0416R

Ref No. SBPL/2025-26/

Dated: 01.12.2025

Re: Environment Monitoring Committee/Cell

Sir,

An Environment Monitoring Committee comprising of the following is hereby reconstituted afresh: -

1. Mr. Shivam Panwar – Manager (Process)
2. Mr. Bineet Kumar – Additional Manager (WTP)
3. Mr. Sonveer Singh – Officer (EHS)
4. Mr. Sandeep Singh – Officer (HR)

Scope of work of Environment Monitoring Committee will be as under: -

1. The committee will ensure proper working of all the equipments used for monitoring of various process of testing of Effluent Water & Air and other related activity of Environment.
2. The committee will discuss the results and its effect on Water & Air and follow the procedure as per norms stipulated by MoEF.

The meeting of the committee will be held once in a month i.e. 1st Friday at 12 hours of every month in the office of the undersigned.



Authorized Signatory

Test Report of Ambient Noise Monitoring				
ULR- TC824125000004119				
Report No.		Reference No.		Issue Date
PCS/ANQ/01/2025		PCS/SBPL/01/2025		31/12/2025
1. Name & Address of Proponent		M/s Superior Biofuels Private Ltd. Village- Shamli-Shamla, Tehsil- Unn, District- Shamli, U.P- 247778		
2.Type of Proponent :		Distillery		7.Method of Sampling:
3.Sampling Location:		2 Locations		8.Date of Monitoring :
4. Monitoring done by:		Mr. Vipin & Mr. Sunil		9.Sample Receipt in Lab:
5. Weather Condition :		Clear Sky		10.Date of Analysis:
6.Lab Code:		PCS25/218/3436-3437		11.Sample Analyzed By:
		Reference Method		Noise Level dB(A) leq
S. No.		Location		Noise Level dB(A) leq
1.		Near ETP Plant		Day
2.		At the Top of Distillery Admin		Night
		IS-9989, 1981		
* Standard (Ambient Noise)				
Industrial area		75		70
Commercial area		65		55
Residential area		55		45
Silence Zone		50		40

*The Noise Pollution (Regulation and Control) Rules, 2000

Note: - 1. Day time from 6.00 a.m. to 10.00 p.m.

2. Night time from 10.00 p.m. to 6.00 a.m.


(Dr. Divya Misra)
Authorized Signatory

“End of this Test Report”

Page 1 of 1



TEST REPORT

Prakriti Consultants Services

Category 'A' QCI-NABET Accredited EIA Consultant Organization
 An Approved Laboratory From MoEF - CC & Uttar Pradesh Pollution Control Board
 (An ISO 14001:2015, ISO 9001-2015 and ISO 45001:2018 Certified Organization)
 Address: 12, Vishnupuri, Church Road, Aliganj, Lucknow-226024
 E-mail: prakriti_md@rediffmail.com, prakriticonsultantsservices@gmail.com
 Tel: 0522- 4002545, Mobile: 09415518818,
 GSTIN :- 09AAJFP5925G1ZY



Test Report of Waste Water

ULR- TC824125000004115


Report No. PCS/WWQ/01/2025	Reference No. PCS/SBPL/01/2025	Issue Date 31/12/2025
--------------------------------------	--	---------------------------------

1.	Name & Address of Industry	M/s Superior Biofuels Private Ltd. Village- Shamli-Shamla, Tehsil-Unn, District-Shamli,-U.P-247778		
2.	Type of Industry	Distillery	7. Date of Sampling	25/12/2025
3.	Sampling Location	ETP Inlet	8. Sample Receipt in Lab	26/12/2025
4.	Method of Sampling	PCS/WI/SAMP/21	9. Date of Testing	26/12/2025-30/12/2025
5.	Lab Code	PCS25/373/2730	10. Analyzed by	Ms. Alka Singh
6.	Sample Collected by	Party		

S. No.	Parameter	Units	Reference Method*	Results
1.	pH	-	APHA 4500H+-B	3.52
2.	Total Suspended Solids (TSS)	mg/l	APHA 2540-D	35.4
3.	Total Dissolved Solids (TDS)	mg/l	APHA 2540- C	180
4.	Oil & Grease (O & G)	mg/l	APHA 5520-B	BDL
5.	COD	mg/l	APHA 5220-C	3140
6.	BOD (3 Days at 27°C)	mg/l	IS 3025 (Part 44)	1850

BDL- Below Detection Limit- O& G- <2.0 mg/l

- Note: 1. The results in the Test Report related only to the items tested.
 2. The report shall not be reproduced-except in full without the written permission of laboratory.
 3. The report shall not be used for any other purpose than declared by the sponsor.
 4. Prakriti Consultants Services are not regulatory agency hence no part of this report should be used for legal purpose under any circumstances.
 5. No deviation as per Standard Method.


(Dr. Divya Misra)
Authorized Signatory

-----End of this Report-----

Test Report of Waste Water

ULR- TC824125000004114

Report No.		Reference No.			Issue Date
PCS/WWQ/02/2025		PCS/SBPL/01/2025			31/12/2025
1.	Name & Address of Industry	M/s Superior Biofuels Private ltd. Village- Shamli-Shamla, Tehsil-Unn, District-Shamli,-U.P-247778			
2.	Type of Industry	Distillery	7. Date of Sampling	25/12/2025	
3.	Sampling Location	ETP Outlet	8. Sample Receipt in Lab	26/12/2025	
4.	Method of Sampling	PCS/WI/SAMP/21	9. Date of Testing	26/12/2025-30/12/2025	
5.	Lab Code	PCS25/373/2731	10.Analyzed by	Ms. Alka Singh	
6.	Sample Collected by	Mr. Vipin & Mr. Sunil			
S. No.	Parameter	Units	Reference Method	Results	Standard*
1.	pH	-	APHA 4500H+-B	7.58	5.5- 9.0
2.	Total Suspended Solids (TSS)	mg/l	APHA 2540-D	BDL	100
3.	Total Dissolved Solids (TDS)	mg/l	APHA 2540-C	560	2100
4.	Oil & Grease (O & G)	mg/l	APHA 5520-B	BDL	10
5.	COD	mg/l	APHA 5220-C	32.0	250
6.	BOD (3 Days at 27°C)	mg/l	IS 3025 (Part 44)	8.0	30

BDL- Below Detection Limit- O& G- <2.0 mg/l, TSS-< 10.0mg/l

*Schedule VI inserted by Rule 2(d) of the Environment (Protection) Second Amendment Rules, 1993 notified vide G.S.R. 422(E) dated 19.05.1993, published in the Gazette No. 174 dated 19.05.1993.

- Note: 1. The results in the Test Report related only to the items tested.
2. The report shall not be reproduced-except in full without the written permission of laboratory.
3. The report shall not be used for any other purpose than declared by the sponsor.
4. Prakriti Consultants Services are not regulatory agency hence no part of this report should be used for legal purpose under any circumstances.
5. No deviation as per Standard Method.

Dr. Divya Misra
(Dr. Divya Misra)
Authorized Signatory

-----End of this Report-----

Ambient Air Quality

ULR- TC824125000004118

Report No.		Reference No.			Issue Date	
PCS/AAQ/02/2025		PCS/SBPL/01/2025			31/12/2025	
1. Name & Address of Industry		M/s Superior Biofuels Private Ltd. Village- Shamli-Shamla, Tehsil- Unn, District- Shamli, U.P- 247778				
2.Type of Industry 3.Sampling Location		Distillery At the Top of Distillery Admin Mr. Vipin & Mr. Sunil Clear Sky PCS25/218/3432	7.Method of Sampling 8.Date of Monitoring		PCS/WI/SAMP/20 25/12/2025	
4. Monitoring done by 5. Weather Condition 6.Lab Code			9.Sample Receipt in Lab 10.Date of Analysis 11.Sample Analyzed By		26/12/2025 26/12/2025-27-12-2025 Mr. Ajay Kumar	
Sl. No.	Parameters		Unit	Method of Measurement	Result	Standards*
1	Particulate Matter (PM ₁₀)		(µg/ m ³)	IS: 5182 Part (23):2006	79.5	100
2	Particulate Matter (PM _{2.5})	(µg/ m ³)	IS 5182 (Part-24) :2019	40.6	60	
3	Sulphur Dioxide (SO ₂)	(µg/ m ³)	IS : 5182 (Part-2):2006	11.6	80	
4	Nitrogen Dioxide (NO ₂)	(µg/ m ³)	IS: 5182 (Part 6):2006	20.8	80	

*NAAQS MOEF & CC Notification, dated 18.11.2009

- Note:**
- 1.The results in the Test Report relate only to the items tested.
 2. The report shall not be reproduced-except in full, without the written permission of laboratory.
 3. The report shall not be used for any other purpose than declared by the Sponsor
 4. Prakriti Consultants Services is not regulatory agency hence no part of this report should be used for legal purpose under any circumstances.
 5. No deviation as per the Standard Method.

Dr. Divya Misra
(Dr. Divya Misra)
Authorized Signatory

“End of this Test Report”

Ambient Air Quality

ULR- TC82412500004117

Report No.		Reference No.			Issue Date	
PCS/AAQ/01/2025		PCS/SBPL/01/2025			31/12/2025	
1. Name & Address of Industry		M/s Superior Biofuels Private Ltd. Village- Shamli-Shamla, Tehsil- Unn, District- Shamli, U.P- 247778				
2.Type of Industry		Distillery		7.Method of Sampling		PCS/WI/SAMP/20
3.Sampling Location		Near ETP Plant		8.Date of Monitoring		25/12/2025
4. Monitoring done by		Mr. Vipin & Mr. Sunil		9.Sample Receipt in Lab		26/12/2025
5. Weather Condition		Clear Sky		10.Date of Analysis		26/12/2025-27-12-2025
6.Lab Code:		PCS25/218/3431		11.Sample Analyzed By		Mr. Ajay Kumar
Sl. No.	Parameters	Unit	Method of Measurement		Result	Standards*
1	Particulate Matter (PM ₁₀)	(µg/ m ³)	IS: 5182 Part (23):2006		80.2	100
2	Particulate Matter (PM _{2.5})	(µg/ m ³)	IS 5182 (Part-24) :2019		41.9	60
3	Sulphur Dioxide (SO ₂)	(µg/ m ³)	IS : 5182 (Part-2):2006		10.2	80
4	Nitrogen Dioxide (NO ₂)	(µg/ m ³)	IS: 5182 (Part 6):2006		22.1	80

*NAAQS MOEF & CC Notification, dated 18.11.2009

- Note:**
- 1.The results in the Test Report relate only to the items tested.
 2. The report shall not be reproduced-except in full, without the written permission of laboratory.
 3. The report shall not be used for any other purpose than declared by the Sponsor
 4. Prakriti Consultants Services is not regulatory agency hence no part of this report should be used for legal purpose under any circumstances.
 5. No deviation as per the Standard Method.

Divya Misra
(Dr. Divya Misra)
Authorized Signatory


“End of this Test Report”

Stack Test Report for Stack Monitoring (D.G Set)					
ULR- TC824125000004120					
Report No.		Reference No.		Issue Date	
PCS/SE/01/2025		PCS/SBPL/01/2025		31/12/2025	
1. Name of Industry & Address		M/s Superior Biofuels Private Ltd. Village- Shamli-Shamla, Tehsil- Unn, District- Shamli, U.P- 247778			
2.Type of Industry		Distillery		7. Lab Code PCS25/218/3435	
3.Sampling Point		D.G. Set-2 (1000 KVA)		8. Date of Monitoring 25/12/2025	
4.Sample Collected by		Mr. Vipin & Mr. Sunil		9. Sample Receipt in Lab 26/12/2025	
5.Weather Condition		Clear		10. Date of Testing 26/12/2025-27-12-2026	
6.Method of sampling		PCS/WI/SAMP/20		11. Analyzed by Mr. Ajay Kumar	
S. No.	Particulars			Value	
1.	Stack attached to			D.G. Set	
2.	Type of Stack			Circular	
3.	Stack height from Ground (m)			12.0	
4.	Fuel Consumption Lit/Hr			105L/hr	
5.	Material of Construction of Stack			Mild Steel (MS)	
6.	Diameter of Stack (m)			0.4	
7.	Type of fuel used			HSD	
8.	Sampling Duration (min)			60	
9.	Atmospheric Pressure (mmHg)			740	
10.	Atmospheric temperature (⁰ C)			20	
11.	Flue Gas temperature (⁰ C)			195	
12.	Flue Gas Exit Velocity (m/s)			13.86	
13.	Flue Gas Discharge (Nm ³ /hr)			3889.0	
	Pollutants	Reference Method	Value	Standard*	
	a. PM (mg/ Nm ³)	IS 11255 PART-1:1985	48.7	75	
	b. SO ₂ (mg/ Nm ³)	IS 11255 PART-2:1985	7.9	-	
	c. CO (mg/ Nm ³)	PCS/SOP/ST/03:2021	35.1	150	
	d. NO _x as NO ₂ (ppm)	PCS/SOP/ST/NO _x /12:2021	79.2	710	

PM, CO and NO_x values are normalized at 15% O₂ correction

*Emission limit for D.G Set prescribed under E(P) Act-1986

- Note:**
- 1.The results in the Test Report related only to the items tested.
 2. The report shall not be reproduced-except in full without the written permission of laboratory
 3. The report shall not be used for any other purpose than declared by the sponsor.
 4. Prakriti Consultants services are not regulatory agency hence no part of this report should be used for legal purpose under any circumstances.
 5. No deviation as per Standard Method.


(Dr. Divya Misra)
Authorized Signatory

“End of this Test Report”

Stack Test Report for Stack Monitoring (D.G Set)

Report No.		Reference No.		Issue Date	
PCS/SE/01/2025		PCS/SBPL/01/2025		31/12/2025	
1. Name & address of Industry		M/s Superior Biofuels Private Ltd. Village- Shamli-Shamla, Tehsil- Unn, District- Shamli, U.P- 247778			
2. Type of Industry		Distillery		7. Method of Sampling	
3. Sample collected by		Mr. Vipin & Mr. Sunil		8. Date of sampling	
4. Weather Condition		Clear Sky		9. Sample receipt in lab	
5. Sampling Location		D.G. Set-1(500 KVA)		10. Date of Analysis	
6. Lab Code		PCS25/218/3434		11. Sample Analyzed By	
				Mr. Ajay Kumar	
S. No.	Particulars	Value			
1	Stack Attached to	D.G. Set			
2	Type of Stack	Circular			
3	Stack height from Ground (m)	12.0			
4	Fuel Consumption Lit/Hr	50.0			
5	Diameter of Stack (m)	0.4			
6	Material of Construction of Stack	Mild Steel (M.S)			
7	Type of fuel used	HSD			
8	Sampling Duration	60			
9	Atmospheric Pressure (mmHg)	740			
10	Atmospheric temperature (⁰ K)	293			
11	Flue Gas temperature (⁰ K)	436			
12	Flue Gas Exist Velocity (m/s)	12.15			
13	Flue Gas Discharge (Nm3/hr)	3660.9			
		Pollutants	Reference Method	Result	Standard*
		PM (g/kw-hr)	IS 11255 (Part-1):1985	0.05	0.2
		SO ₂ (g/kw-hr)	IS 11255 (Part-2):1985	<0.1	-
		CO (g/kw-hr)	PCS/SOP/ST/03:2021	0.92	3.5
		NOx as NO ₂ (g/kw-hr)	PCS/SOP/ST/Nox/12:2021	2.1	4.0

*Emission Standard for DG set prescribed under E (P) Act 1986.

Note: 1.The results in the Test Report relate only to the items tested.

- The report shall not be reproduced-except in full without the written permission of laboratory.
- The report shall not be used for any other purpose than declared by the sponsor.
- Prakriti Consultants Services are not regulatory agency hence no part of this report should be used for legal purpose under any circumstances.
- No deviation as per standard method.




(Dr. Divya Misra)
Authorized Signatory

“End of this Test Report”

DG Set Noise Monitoring			
ULR- TC824125000004121			
Report No.	Reference No.		Issue Date
PCS/SN/01/2025	PCS/SBPL/01/2025		31/12/2025
1. Name of Address of Industry:	M/s Superior Biofuels Private Ltd. Village- Shamli-Shamla, Tehsil- Unn, District- Shamli, U.P- 247778		
2.Type of Proponent :	Distillery	7.Method of Sampling:	PCS/WI/SAMP/20
3.Sampling Location:	D.G Set (01-02)	8.Date of Monitoring :	25/12/2025
4. Monitoring done by:	Mr. Vipin & Mr. Sunil	9.Sample Receipt in Lab:	26/12/2025
5. Weather Condition :	Clear Sky	10.Date of Analysis:	-
6.Lab Code:	PCS25/218/3438-3439	11.Sample Analyzed By:	Mr. Vipin
		Reference Method: IS-4758	
S. No.	Location	Noise Level dB(A) 1 m from the enclosure surface	
		Open Canopy	Close Canopy
1.	D.G. Set-1(500 KVA)	88.2	62.8
2.	D.G. Set- 2(1000 KVA)	90.5	64.9
	* Standard	-	75

*Noise Limit for DG set E (P) Act 1986.


(Dr. Divya Misra)
Authorized Signatory

“End of this Test Report”

TEST REPORT OF SOIL QUALITY

ULR- TC824125000004146

Report No.		Reference No.		Issue Date
PCS/SQ/01/2025		PCS/SBPL/01/2025		31/12/2025
1.Name of Proponent:		M/s Superior Biofuels Private Ltd. Village- Shamli-Shamla, Tehsil-Unn, District-Shamli,-U.P-247778		
2.Project Site:		Near ETP Area Distillery Mr. Vipin & Mr. Sunil Clear Sky PCS25/373/2732 PCS/WI/SAMP/21	8. Identification of Sample:	2 Kg Soil Sample
3.Type of Industry:			9. Date of Sampling :	25/12/2025
4.Sampling Done by:			10. Sample Receipt in Lab:	26/12/2025
5. Weather Condition:			11. Date of Testing:	26/12/2025-30/12/2025
6. Lab Code:			12. Sample Analyzed By:	Mr. Ajay Kumar
7. Method of Sampling:				
S. No.	Parameters	Unit	Reference Method	Result
1	pH	-	IS 2720 Part 26: 1987	7.26
2	Conductivity	µS/cm	IS 14767: 2002	442
3	Soil Texture	-	PCS/SOP/SOIL/03: 2018	Sandy Loam
4	Sand	%		72.0
5	Clay	%		13.0
6	Silt	%		15.0
7	Sodium	mg/kg	IS 9497: 1998	46.3
8	Potassium	mg/kg	IS 9497: 1998	65.2
9	Calcium as Ca	mg/kg	PCS/SOP/Soil/14	13.5
10	Available Phosphorus	mg/kg	ISO 11263	20.5
11	Organic Carbon	%	IS 2720:Part 22: 2010	1.52
12	Bulk Density,	gm/Cc	IS 2720 PART 8	1.18
13	Water Holding Capacity	%	IS 2720:Part 2	20.4
14	Total Kjeldahl Nitrogen	mg/kg	IS-14684: 2005	8*10 ³
15	Iron	mg/kg	EPA3050 b: 1996	0.35
16	Cadmium	mg/kg	EPA3050 b 1996	BDL
17	Zinc	mg/kg	EPA3050 b: 1996	BDL
18	Manganese	mg/kg	EPA3050 b: 1996	BDL
19	Lead	mg/kg	EPA3050 b: 1996	BDL
20	Nickel	mg/kg	EPA3050 b: 1996	0.75
21	Copper	mg/kg	EPA3050 b 1996	BDL
22	Chromium	mg/kg	EPA3050 b 1996	BDL
23	Sodium Absorption Ratio(SAR)	-	-	2.0

BDL- Below Detection Limit -Cd- <0.2, Mn- <2, Pb- <6.8, Cr- <5.7, Zn <1.3


Note: 1.The results in the Test Report related only to the items tested.

2. The report shall not be reproduced-except in full without the written permission of laboratory

3. The report shall not be used for any other purpose than declared by the sponsor.

4. Prakriti Consultants Services are not regulatory agency hence no part of this report should be used for legal purpose under any circumstances.

5. No deviation as per the standard method.


(Dr. Divya Misra)
Authorized Signatory

“End of this Test Report”